



US00D576679S

(12) **United States Design Patent**
Briggl

(10) **Patent No.:** **US D576,679 S**

(45) **Date of Patent:** **** *Sep. 9, 2008**

(54) **COMPONENT FOR A WRITING INSTRUMENT**

(75) Inventor: **Hariolf Briggl**, Boebingen (DE)

(73) Assignee: **Senator GmbH & Co. KGaA**,
Gross-Bieberau (DE)

(**) Term: **14 Years**

(21) Appl. No.: **29/275,984**

(22) Filed: **Jan. 11, 2007**

(30) **Foreign Application Priority Data**

Jul. 20, 2006 (DE) 4 06 03 854

(51) **LOC (8) Cl.** **19-06**

(52) **U.S. Cl.** **D19/57**

(58) **Field of Classification Search** D19/35,
D19/36, 41-51, 53-57; 24/11 R, 11 F, 11 P;
401/52, 99, 100, 104, 105, 106, 107, 108,
401/109, 192, 195, 196

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,311,574 A *	7/1919	Palmer	24/11 P
D147,107 S	7/1947	Breitenstein		
D162,213 S	2/1951	Nelson et al.		
D179,615 S	1/1957	Spatz		
D181,705 S	12/1957	Bruce et al.		
D343,418 S	1/1994	Dugelay		
5,913,629 A	6/1999	Hazzard		
D413,927 S	9/1999	Izushima		
D416,941 S	11/1999	Chevalier et al.		
D418,541 S	1/2000	Mayer		

(Continued)

FOREIGN PATENT DOCUMENTS

DE	M8908928	4/1990
DE	M9005420 S	1/1991
DE	M9100324 S	10/1992

DE	M9803342 S	1/1999
DE	40002664 S	11/2001
DE	M40200023 S	7/2002
DE	40404785 S	9/2006
EM	000121603-0001 S	4/2004
EM	000140249-0001 S	6/2004
EM	000154265-0011 S	6/2004
EM	000367271-0026 S	10/2005
WO	DM025032 S	1/1993
WO	DM034253 S	11/1994
WO	DM034535 S	10/1995
WO	DM052382	9/2000
WO	DM061124 S	8/2002
WO	DM063754 S	5/2003

OTHER PUBLICATIONS

Formosa, Model 036, known before priority date, specific date not known.

CixiCity, Model JZL6120, known before priority date, specific date not known.

Primary Examiner—Elizabeth A Albert

(74) *Attorney, Agent, or Firm*—Stevens & Showalter LLP

(57) **CLAIM**

The ornamental design for a component for a writing instrument, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a component of a writing instrument of the present application;

FIG. 2 is a rear view thereof;

FIG. 3 is a side view seen from the right side thereof;


FIG. 4 is a side view seen from the left side thereof;

FIG. 5 is a bottom view thereof; and,

FIG. 6 is a top view thereof.

The broken line showing of the inside of the cap is included for the purpose of illustrating environment and forms no part of the claimed design.

1 Claim, 1 Drawing Sheet



US D576,679 S

Page 2

U.S. PATENT DOCUMENTS

D447,177 S	8/2001	Pichler	
D449,650 S	10/2001	Verhaeghe	
D452,879 S	1/2002	Koike	
D460,485 S *	7/2002	Keda	D19/43
D471,591 S	3/2003	Lecce	
D476,366 S *	6/2003	Kennedy	D19/56
D482,728 S	11/2003	Koch	
D484,189 S *	12/2003	Dhesse	D19/54
D490,850 S *	6/2004	Carls et al.	D19/51
D496,961 S	10/2004	Daida	
D509,537 S	9/2005	Bianchi et al.	
D535,698 S *	1/2007	Shibata	D19/57
D557,745 S *	12/2007	Isono	D19/57

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6