



US00D576781S

(12) **United States Design Patent**
Chang et al.

(10) **Patent No.:** **US D576,781 S**
(45) **Date of Patent:** **** Sep. 16, 2008**

(54) **ORTHOTIC DEVICE**

(75) Inventors: **Julia Chang**, Los Angeles, CA (US);
Stacy Wyatt, Camarillo, CA (US); **Bill Arnold**, Woodland Hills, CA (US)

(73) Assignee: **Ossur hf**, Reykjavik (IS)

(**) Term: **14 Years**

(21) Appl. No.: **29/287,147**

(22) Filed: **Jul. 3, 2007**

(51) **LOC (8) Cl.** **02-04**

(52) **U.S. Cl.** **D2/961; D2/946**

(58) **Field of Classification Search** D2/914,
D2/915, 946, 947, 950, 951, 953, 954-962;
36/24.5, 25 R, 28, 29, 34 R, 35 R, 36 R, 43,
36/44, 88, 89, 91, 92, 93, 113, 114, 117.3-117.6,
36/124, 126, 128, 134, 135, 140, 145
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,517,981	A *	5/1985	Santopietro et al.	36/140
4,559,934	A	12/1985	Philipp	
D284,901	S *	8/1986	Tilles	D2/961
4,702,255	A *	10/1987	Schenkl	36/145
4,759,357	A *	7/1988	Allart et al.	36/140
4,791,736	A *	12/1988	Phillips	36/117.5
5,054,148	A *	10/1991	Grumbine	12/142 N
5,257,969	A	11/1993	Mance	
D396,138	S *	7/1998	Roy	D2/961
5,776,090	A	7/1998	Bergmann et al.	
5,897,520	A	4/1999	Gerig	
6,019,741	A	2/2000	Prieskorn	
6,024,712	A	2/2000	Iglesias et al.	
6,173,511	B1 *	1/2001	Perrault	36/140
6,345,455	B1 *	2/2002	Greer et al.	36/155

6,360,454	B1 *	3/2002	Dachgruber et al.	36/54
6,393,736	B1 *	5/2002	Greer et al.	36/155
6,582,382	B2	6/2003	Domanski et al.	
6,652,474	B1	11/2003	Quinn et al.	
6,755,798	B2	6/2004	McCarthy et al.	
6,839,985	B2 *	1/2005	Bettiol	36/54
6,976,322	B1 *	12/2005	Walker	36/43
6,993,860	B2 *	2/2006	Bettiol	36/54
7,125,392	B2	10/2006	Scott	
2006/0052734	A1	3/2006	Evans et al.	
2006/0236564	A1 *	10/2006	Allard et al.	36/140

* cited by examiner

Primary Examiner—Stella M. Reid

Assistant Examiner—Elizabeth J Oswecki

(74) *Attorney, Agent, or Firm*—Bacon & Thomas, PLLC

(57) **CLAIM**

The ornamental design for an orthotic device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an orthotic device showing our new design;

FIG. 2 is a first side elevational view thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a bottom plan view thereof;



FIG. 5 is a second side elevational view thereof;

FIG. 6 is a rear elevational view thereof; and,

FIG. 7 is a front elevational view thereof.

The broken line showing of the rectangular shapes on the top surface of the orthotic device in FIGS. 1, 2, 5, and 7 is included for the purpose of illustrating only and forms no part of the claimed design.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7