



US00D576818S

(12) **United States Design Patent**  
**Kreiss**

(10) **Patent No.:** **US D576,818 S**  
(45) **Date of Patent:** **\*\* Sep. 16, 2008**

(54) **SECTIONAL SEATING ELEMENTS**

(75) Inventor: **Michael Kreiss**, San Diego, CA (US)

(73) Assignee: **AGK, LLC**, Las Vegas, NV (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/249,308**

(22) Filed: **Sep. 29, 2006**

(51) **LOC (8) Cl.** ..... **06-01**

(52) **U.S. Cl.** ..... **D6/381**

(58) **Field of Classification Search** ..... D6/334,  
D6/335, 361, 367, 369, 370, 371, 372, 374,  
D6/375, 381, 491, 500-502; 297/445.1,  
297/446.1, 118, 119, 232, 233, 440.1, 440.14,  
297/440.15; 5/12.1, 12.2

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

2,087,574	A *	7/1937	Kaufer	.....	297/113
D255,513	S *	6/1980	Collins	.....	D6/377
D264,026	S *	4/1982	Mascheroni	.....	D6/381
D310,143	S *	8/1990	Hopfer	.....	D6/381
D369,495	S *	5/1996	Mourgue	.....	D6/378
D390,017	S *	2/1998	Lewis	.....	D6/334
5,740,564	A *	4/1998	Hankins et al.	.....	5/12.1
D403,171	S *	12/1998	Gibson	.....	D6/377
D403,172	S *	12/1998	Gibson	.....	D6/377
D403,874	S *	1/1999	Gohman	.....	D6/377
D404,930	S *	2/1999	Gibson	.....	D6/377
D416,704	S *	11/1999	Mourgue	.....	D6/377
D429,901	S *	8/2000	Gibson	.....	D6/335
D479,055	S *	9/2003	Nicoletti	.....	D6/381
D479,409	S *	9/2003	Nicoletti	.....	D6/381
D487,646	S *	3/2004	Natuzzi	.....	D6/381
D538,054	S *	3/2007	Lissoni	.....	D6/334
D552,871	S *	10/2007	Natuzzi	.....	D6/381

\* cited by examiner

*Primary Examiner*—Sandra Snapp

(74) *Attorney, Agent, or Firm*—Kleinberg & Lerner, LLP;  
Marvin H. Kleinberg

(57) **CLAIM**

The ornamental design for sectional seating elements, as shown and described.

**DESCRIPTION**

FIG. 1 is a top view of a first embodiment in the form of a left end of the sectional seating elements of the present invention;

FIG. 2 is a front view of the sectional seating element of FIG. 1;

FIG. 3 is a right side view of the sectional seating element of FIG. 1;

FIG. 4 is a left side view of the sectional seating element of FIG. 1;

FIG. 5 is a top view of a second embodiment in the form of another left end of the sectional seating elements of the present invention;

FIG. 6 is a front view of the sectional seating element of FIG. 5;

FIG. 7 is a left side view of the sectional seating element of FIG. 5;

FIG. 8 is a right side view of the sectional seating element of FIG. 5;

FIG. 9 is a top view of a third embodiment in the form of a right end of the sectional seating elements of the present invention;


FIG. 10 is a front view of the sectional seating element of FIG. 9;


FIG. 11 is a left side view of the sectional seating element of FIG. 9; and,

FIG. 12 is a right side view of the sectional seating element of FIG. 9.


The backs and bottoms of the several elements are flat and include no surface ornamentation.

**1 Claim, 6 Drawing Sheets**







*FIG. 1*



*FIG. 2*



*FIG. 3*



*FIG. 4*




FIG. 5






FIG. 6



*FIG. 7*



*FIG. 8*




FIG. 9






FIG. 10



*FIG. 11*



*FIG. 12*