



US00D576895S

(12) **United States Design Patent**
Burkandt

(10) **Patent No.:** **US D576,895 S**
(45) **Date of Patent:** **** Sep. 16, 2008**

(54) **LASER DISTANCE MEASUREMENT DEVICE**

(75) Inventor: **Marco Burkandt**, Isernhagen (DE)

(73) Assignee: **Leica Geosystems AG**, Heerbrugg (CH)

(**) Term: **14 Years**

(21) Appl. No.: **29/301,682**

(22) Filed: **Mar. 11, 2008**

(30) **Foreign Application Priority Data**

Sep. 18, 2007 (CH) 134341

(51) **LOC (8) Cl.** **10-04**

(52) **U.S. Cl.** **D10/70**

(58) **Field of Classification Search** D10/70;

33/276, 277, 281, 285, 286, 290, 291-299,
33/DIG. 21; 340/573.1-573.4, 539, 825.36,
340/825.46, 825.49; 356/5.15, 4.01, 5.01,
356/4.05, 5.05-5.09, 5.12, 28.5, 345, 375,
356/3.01, 128-155, 399-400; 385/83, 97-99,
385/134-139; 701/211-213, 150, 158; 264/1.24-1.25
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D478,018 S * 8/2003 Adamosky D10/70

7,075,626 B2 * 7/2006 Schmidt et al. 356/5.09
D539,680 S * 4/2007 Liu et al. D10/70
D559,981 S * 1/2008 Williams D10/70
7,363,716 B1 * 4/2008 Tonkinson et al. 33/286

* cited by examiner

Primary Examiner—Antoine D Davis

(74) *Attorney, Agent, or Firm*—Abelman, Frayne & Schwab

(57) **CLAIM**

The ornamental design for a laser distance measuring device,
as shown and described.

DESCRIPTION

FIG. 1 is a top, plan view of the laser distance measurement
device of my invention;

FIG. 2 is a front view thereof;


FIG. 3 is a left side and top perspective view thereof;

FIG. 4 is a bottom view thereof; and,

FIG. 5 is a rear view thereof.

The features shown in broken lines form no part of the
claimed design.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 5




FIG. 3

FIG. 4

