



US00D577189S

(12) **United States Design Patent**
Radke

(10) **Patent No.:** **US D577,189 S**
(45) **Date of Patent:** **** Sep. 23, 2008**

(54) **CARRYING CASE FOR GLASS BOTTLES**

DESCRIPTION

(76) **Inventor:** **Fred P. Radke**, 503 Lincoln St.,
Algonquin, IL (US) 60102

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/250,173**

(22) **Filed:** **Nov. 6, 2006**

(51) **LOC (8) Cl.** **09-02**

(52) **U.S. Cl.** **D3/202**

(58) **Field of Classification Search** D3/202,
D3/201, 232-246, 303-315, 902-905; 206/139,
206/428, 433, 162; D32/53.1; 229/117.09,
229/117.23, 121; 220/509, 515, 524, 555,
220/674; 383/10, 38, 127

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | |
|-----------|-----|---------|-----------------------|------------|
| 3,563,433 | A * | 2/1971 | Yoshiura et al. | 229/117.09 |
| 3,581,933 | A * | 6/1971 | Engdahl, Jr. | 206/162 |
| 5,538,130 | A * | 7/1996 | Harrelson | 206/162 |
| D380,299 | S * | 7/1997 | Schlaeger et al. | D3/310 |
| D403,160 | S * | 12/1998 | Hill | D3/315 |
| D481,939 | S * | 11/2003 | Shatan | D3/315 |
| D508,320 | S * | 8/2005 | Holland et al. | D3/303 |
| D529,709 | S * | 10/2006 | Swartz et al. | D3/202 |

* cited by examiner

Primary Examiner—Catherine R. Oliver

(74) *Attorney, Agent, or Firm*—Matthew R. P. Perrone, Jr.

(57) **CLAIM**

The ornamental design for a carrying case for glass bottles, as shown and described.

FIG. 1 is a top perspective view of a first embodiment of a carrying case for glass bottles showing my new design;

FIG. 2 is a front elevation view thereof;

FIG. 3 is a rear elevation view thereof;

FIG. 4 is a top plan view thereof;

FIG. 5 is a bottom plan view thereof;

FIG. 6 is a side elevation view thereof;

FIG. 7 is an opposite side elevation view thereof;

FIG. 8 is a top perspective view of a second embodiment;

FIG. 9 is a top plan view thereof;

FIG. 10 is a bottom plan view thereof;

FIG. 11 is a side elevation view thereof;

FIG. 12 is an opposite elevation view thereof;

FIG. 13 is a top perspective view of a third embodiment;

FIG. 14 is a top plan view thereof;

FIG. 15 is a side elevation view thereof;

FIG. 16 is an opposite side elevation view thereof;

FIG. 17 is a top perspective view of a fourth embodiment;

FIG. 18 is a top plan view thereof;

FIG. 19 is a top plan view of a fifth embodiment;


FIG. 20 is a top plan view of a sixth embodiment; and,






FIG. 21 is a top plan view of a seventh embodiment.

The broken lines that appear on the perimeter and in the center of the carrier represent topstitching.

The broken line showing of environment is included for the purpose of illustrating environment and forms no part of the claimed design.

1 Claim, 5 Drawing Sheets








FIG. 6.




FIG. 8.




FIG. 7.




FIG. 9.




FIG. 10.




FIG. 11.




FIG. 13.




FIG. 12.




FIG. 14.




FIG. 15.




FIG. 17.




FIG. 16.




FIG. 18.




FIG. 19.




FIG. 20.




FIG. 21.