



US00D577412S


(12) **United States Design Patent**
Nathan et al.

(10) **Patent No.:** **US D577,412 S**
(45) **Date of Patent:** **** Sep. 23, 2008**

- (54) **RODENT TRAP**
 - (75) Inventors: **Philip Nathan**, West Hartford, CT (US);
Matthew L. Phillips, Litchfield, CT (US);
Lynn Briggs, Bristol, CT (US);
Thomas Paul Danniger, Ostrander, OH (US);
Richard Gene Foster, Powell, OH (US)
 - (73) Assignee: **SMG Brands, Inc.**, Wilmington, DE (US)
 - (**) Term: **14 Years**
 - (21) Appl. No.: **29/319,850**
 - (22) Filed: **Jun. 16, 2008**
 - (51) **LOC (8) Cl.** **22-05**
 - (52) **U.S. Cl.** **D22/119**
 - (58) **Field of Classification Search** D22/119-124;
43/58, 60-61, 68, 76, 81, 112-113, 124,
43/131, 132.1
- See application file for complete search history.

4,926,581 A	5/1990	Grivas
5,040,327 A	8/1991	Stack et al.
5,044,113 A	9/1991	Stack et al.
5,148,624 A	9/1992	Schmidt
5,172,512 A	12/1992	Bodker et al.
D346,199 S	4/1994	Spragins et al.
5,337,512 A	8/1994	Krenzler
5,384,981 A	1/1995	Cohen
5,398,442 A	3/1995	Musket
5,448,852 A	9/1995	Spragins et al.
5,471,781 A	12/1995	Vine
5,477,636 A	12/1995	Musket
5,481,824 A	1/1996	Fiore, Jr.
5,572,825 A	11/1996	Gehret
5,577,342 A	11/1996	Johnson et al.
D385,611 S	10/1997	Prince et al.
D386,554 S	11/1997	Brewer
5,692,336 A	12/1997	Fiore, Jr. et al.
5,746,020 A	5/1998	Fiore, Jr. et al.
5,806,237 A	9/1998	Nelson et al.
D409,711 S	5/1999	Johnson
5,950,353 A	9/1999	Johnson et al.
6,047,494 A	4/2000	Johnson et al.
D441,828 S	5/2001	Leyerle et al.
6,248,730 B1	6/2001	Poché
6,266,917 B1	7/2001	Hight
6,389,738 B1	5/2002	Denny et al.
D459,428 S	6/2002	Johnson et al.
6,397,517 B1	6/2002	Leyerle et al.
6,415,544 B1	7/2002	Leyerle et al.
6,481,151 B1	11/2002	Johnson et al.
6,493,988 B1	12/2002	Johnson
6,508,031 B1	1/2003	Johnson et al.
6,574,912 B1	6/2003	Johnson
6,594,948 B1	7/2003	Novack
6,609,328 B2	8/2003	Swift et al.
6,622,422 B2	9/2003	Gehret et al.
6,631,582 B2	10/2003	Knuppel et al.
D485,597 S	1/2004	Turner
6,684,560 B2	2/2004	Lafforthun
6,691,452 B1	2/2004	Knuppel et al.
6,694,669 B2	2/2004	Gehret et al.
6,735,899 B1	5/2004	Anderson et al.
6,775,947 B2	8/2004	Anderson et al.
6,796,081 B2	9/2004	Anderson et al.
6,807,768 B2	10/2004	Johnson et al.
6,836,999 B2	1/2005	Rich et al.
6,938,368 B2	9/2005	Guidry
6,955,007 B2	10/2005	Gehret et al.

- (56) **References Cited**
- U.S. PATENT DOCUMENTS
- 83,074 A 10/1868 McClure
- 441,677 A 12/1890 Lovell
- 982,486 A 1/1911 Edwards
- 1,281,876 A 10/1918 Taylor
- D57,320 S 3/1921 Dorsch
- 1,587,536 A 6/1926 Lobit
- 1,677,470 A 7/1928 Dorsch et al.
- 2,529,589 A 11/1950 Biery
- 4,030,230 A 6/1977 Souza
- 4,144,667 A 3/1979 Souza
- 4,245,423 A 1/1981 Souza et al.
- 4,253,264 A 3/1981 Souza
- 4,769,942 A 9/1988 Copenhagen, Sr.
- 4,803,799 A 2/1989 Vajs et al.
- D300,163 S 3/1989 Landell et al.
- 4,852,294 A 8/1989 Langli
- 4,856,225 A 8/1989 Radesky et al.
- 4,858,373 A 8/1989 Combs



6,990,766	B2	1/2006	Gehret et al.	
D514,655	S	2/2006	Rodgers et al.	
D515,175	S	2/2006	Mayo et al.	
7,010,882	B2	3/2006	Rich et al.	
7,069,688	B2	7/2006	Hill	
7,089,701	B2	8/2006	Frisch	
D529,571	S	10/2006	Hoyes	
7,171,777	B2	2/2007	Welin-Berger	
7,219,466	B2	5/2007	Rich et al.	
7,231,738	B2	6/2007	Watson et al.	
D573,224	S *	7/2008	Rodriguez	D22/119
2003/0215481	A1	11/2003	Borchert et al.	
2004/0025410	A1	2/2004	Shapland	
2004/0088903	A1	5/2004	Poche	
2004/0244274	A1	12/2004	Dellevigne et al.	
2005/0279015	A1	12/2005	Hall	
2006/0032110	A1	2/2006	Yang	
2006/0042153	A1	3/2006	Bowerman	
2006/0053682	A1	3/2006	Goldstein	
2006/0117644	A1	6/2006	Hoyes et al.	
2006/0156615	A1	7/2006	Hale	
2006/0156617	A1	7/2006	Hale	
2006/0265941	A1	11/2006	Newton	
2006/0272197	A1	12/2006	Wiesener et al.	
2007/0017148	A1	1/2007	Blau	
2007/0017149	A1	1/2007	Rodgers et al.	

FOREIGN PATENT DOCUMENTS

EP	0280504	8/1988
EP	0553336	8/1993
EP	0745323	12/1996
EP	0806138	11/1997
EP	1149530	10/2001
GB	2329125	3/1999
GB	2384966	8/2003
JP	6165630	6/1994
WO	WO 02/102147	12/2002
WO	WO 03/059057	7/2003
WO	WO 2005/022992	3/2005
WO	WO 2005/072524	8/2005

* cited by examiner

Primary Examiner—Catherine R Oliver
(74) Attorney, Agent, or Firm—Hunton & Williams

(57) CLAIM

The ornamental design for a rodent trap, as shown and described.

DESCRIPTION

This application relates to and claims priority to U.S. Ser. No. 11/956,929, filed on Dec. 14, 2007.

FIG. 1 is a perspective view of a rodent trap showing the claimed design in accordance with a first embodiment.

FIG. 2 is a front elevation view of the rodent trap of FIG. 1 in accordance with a first embodiment.

FIG. 3 is a rear elevation view of the rodent trap of FIG. 1 in accordance with a first embodiment.

FIG. 4 is a left side elevation view of the rodent trap of FIG. 1 in accordance with a first embodiment.

FIG. 5 is a right side elevation view of the rodent trap of FIG. 1 in accordance with a first embodiment.

FIG. 6 is a top plan view of the rodent trap of FIG. 1 in accordance with a first embodiment.

FIG. 7 is a bottom plan view of the rodent trap of FIG. 1 in accordance with a first embodiment.

FIG. 8 is a perspective view of a rodent trap showing the claimed design in accordance with a second embodiment.

FIG. 9 is a front elevation view of the rodent trap of FIG. 8 in accordance with a second embodiment.

FIG. 10 is a rear elevation view of the rodent trap of FIG. 8 in accordance with a second embodiment.

FIG. 11 is a left side elevation view of the rodent trap of FIG. 8 in accordance with a second embodiment.

FIG. 12 is a right side elevation view of the rodent trap of FIG. 8 in accordance with a second embodiment.

FIG. 13 is a top plan view of the rodent trap of FIG. 8 in accordance with a second embodiment.

FIG. 14 is a bottom plan view of the rodent trap of FIG. 8 in accordance with a second embodiment.

FIG. 15 is a perspective view of a rodent trap showing the claimed design in accordance with a third embodiment.

FIG. 16 is a front elevation view of the rodent trap of FIG. 15 in accordance with a third embodiment.

FIG. 17 is a rear elevation view of the rodent trap of FIG. 15 in accordance with a third embodiment.

FIG. 18 is a left side elevation view of the rodent trap of FIG. 15 in accordance with a third embodiment.

FIG. 19 is a right side elevation view of the rodent trap of FIG. 15 in accordance with a third embodiment.

FIG. 20 is a top plan view of the rodent trap of FIG. 15 in accordance with a third embodiment.

FIG. 21 is a bottom plan view of the rodent trap of FIG. 15 in accordance with a third embodiment.

FIG. 22 is a perspective view of a rodent trap showing the claimed design in accordance with a fourth embodiment.

FIG. 23 is a front elevation view of the rodent trap of FIG. 22 in accordance with a fourth embodiment.

FIG. 24 is a rear elevation view of the rodent trap of FIG. 22 in accordance with a fourth embodiment.

FIG. 25 is a left side elevation view of the rodent trap of FIG. 22 in accordance with a fourth embodiment.

FIG. 26 is a right side elevation view of the rodent trap of FIG. 22 in accordance with a fourth embodiment.

FIG. 27 is a top plan view of the rodent trap of FIG. 22 in accordance with a fourth embodiment.

FIG. 28 is a bottom plan view of the rodent trap of FIG. 22 in accordance with a fourth embodiment.

FIG. 29 is a perspective view of a rodent trap showing the claimed design in accordance with a fifth embodiment.

FIG. 30 is a front elevation view of the rodent trap of FIG. 29 in accordance with a fifth embodiment.

FIG. 31 is a rear elevation view of the rodent trap of FIG. 29 in accordance with a fifth embodiment.

FIG. 32 is a left side elevation view of the rodent trap of FIG. 29 in accordance with a fifth embodiment.

FIG. 33 is a right side elevation view of the rodent trap of FIG. 29 in accordance with a fifth embodiment.

FIG. 34 is a top plan view of the rodent trap of FIG. 29 in accordance with a fifth embodiment.

FIG. 35 is a bottom plan view of the rodent trap of FIG. 29 in accordance with a fifth embodiment.

FIG. 36 is a perspective view of a rodent trap showing the claimed design in accordance with a sixth embodiment.

FIG. 37 is a front elevation view of the rodent trap of FIG. 36 in accordance with a sixth embodiment.

FIG. 38 is a rear elevation view of the rodent trap of FIG. 36 in accordance with a sixth embodiment.

FIG. 39 is a left side elevation view of the rodent trap of FIG. 36 in accordance with a sixth embodiment.

FIG. 40 is a right side elevation view of the rodent trap of FIG. 36 in accordance with a sixth embodiment.

FIG. 41 is a top plan view of the rodent trap of FIG. 36 in accordance with a sixth embodiment.

FIG. 42 is a bottom plan view of the rodent trap of FIG. 36 in accordance with a sixth embodiment.

FIG. 43 is a perspective view of a rodent trap showing the claimed design in accordance with a seventh embodiment.

FIG. 44 is a front elevation view of the rodent trap of FIG. 43 in accordance with a seventh embodiment.

FIG. 45 is a rear elevation view of the rodent trap of FIG. 43 in accordance with a seventh embodiment.

FIG. 46 is a left side elevation view of the rodent trap of FIG. 43 in accordance with a seventh embodiment.

FIG. 47 is a right side elevation view of the rodent trap of FIG. 43 in accordance with a seventh embodiment.

FIG. 48 is a top plan view of the rodent trap of FIG. 43 in accordance with a seventh embodiment.

FIG. 49 is a bottom plan view of the rodent trap of FIG. 43 in accordance with a seventh embodiment.

FIG. 50 is a perspective view of a rodent trap showing the claimed design in accordance with an eighth embodiment.

FIG. 51 is a front elevation view of the rodent trap of FIG. 50 in accordance with an eighth embodiment.

FIG. 52 is a rear elevation view of the rodent trap of FIG. 50 in accordance with an eighth embodiment.

FIG. 53 is a left side elevation view of the rodent trap of FIG. 50 in accordance with an eighth embodiment.

FIG. 54 is a right side elevation view of the rodent trap of FIG. 50 in accordance with an eighth embodiment.

FIG. 55 is a top plan view of the rodent trap of FIG. 50 in accordance with an eighth embodiment; and,

FIG. 56 is a bottom plan view of the rodent trap of FIG. 50 in accordance with an eighth embodiment.

1 Claim, 40 Drawing Sheets




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14




Fig. 15




Fig. 16




Fig. 17




Fig. 18




Fig. 19




Fig. 20




Fig. 21




Fig. 22




Fig. 23




Fig. 24




Fig. 25




Fig. 26




Fig. 27




Fig. 28




Fig. 29




Fig. 30




Fig. 31




Fig. 32




Fig. 33




Fig. 34




Fig. 35




Fig. 36




Fig. 37




Fig. 38




Fig. 39




Fig. 40




Fig. 41




Fig. 42




Fig. 43




Fig. 44




Fig. 45




Fig. 46




Fig. 47




Fig. 48




Fig. 49




Fig. 50




Fig. 51




Fig. 52




Fig. 53




Fig. 54




Fig. 55




Fig. 56