



US00D577574S

(12) **United States Design Patent**
Liang

(10) **Patent No.:** **US D577,574 S**
(45) **Date of Patent:** **** Sep. 30, 2008**

- (54) **HOOK**
- (75) Inventor: **Robin Liang**, Yangjiang (CN)
- (73) Assignee: **Nite Ize, Inc.**, Boulder, CO (US)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/303,690**
- (22) Filed: **Feb. 14, 2008**

Related U.S. Application Data

- (63) Continuation-in-part of application No. 11/770,470, filed on Jun. 28, 2007.
- (51) **LOC (8) Cl.** **08-05**
- (52) **U.S. Cl.** **D8/367; D8/356**
- (58) **Field of Classification Search** D8/356, D8/367, 370; D11/210; D19/36; D26/38; 24/115 H, 573.5, 598.4, 599.1, 599.5, 600.2, 24/601.2, 592.11; 362/157, 158, 171, 172, 362/173; 224/669; 248/339

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D244,910	S	*	7/1977	Chasen et al.	D8/367
D271,465	S	*	11/1983	Boissonnet	D8/367
D271,466	S	*	11/1983	Boissonnet	D8/367
D273,273	S	*	4/1984	Faidide	D8/367
D282,904	S	*	3/1986	Faidide	D8/367
D292,385	S	*	10/1987	Udelhofen	D11/210
D323,104	S	*	1/1992	Russell et al.	D8/370
D407,297	S	*	3/1999	Mihailovic	D8/367
D448,655	S	*	10/2001	Lai	D8/367
D468,997	S	*	1/2003	Chang	D8/356
D475,605	S	*	6/2003	Kelleghan	D8/356
D493,092	S	*	7/2004	Kalat	D8/367
D508,525	S	*	8/2005	Goldberg	D19/36
D521,362	S	*	5/2006	Kelleghan	D8/356
D528,238	S	*	9/2006	Kramer	D26/38
2005/0087662	A1	*	4/2005	Jacobs	248/339
2007/0119891	A1	*	5/2007	Lawrence	224/669

* cited by examiner

Primary Examiner—T. Chase Nelson
Assistant Examiner—Barbara B Lohr

(74) *Attorney, Agent, or Firm*—Patton Boggs LLP

(57) **CLAIM**

The ornamental design for a hook, as shown and described.

DESCRIPTION

FIG. 1 is a left side front perspective view of a preferred embodiment of a hook according to the invention;

FIG. 2 is a right side front perspective view of the hook according to FIG. 1;

FIG. 3 is a left side view of the hook according to FIG. 1;

FIG. 4 is a right side view of a first side of the hook according to FIG. 1;

FIG. 5 is an enlarged top view of the hook according to FIG. 1;

FIG. 6 is an enlarged bottom view of the hook according to FIG. 1;

FIG. 7 is an enlarged rear view of the hook according to FIG. 1;

FIG. 8 is an enlarged front view of the hook according to FIG. 1;

FIG. 9 is a left side front perspective view of an alternative embodiment of a hook according to the invention;

FIG. 10 is a right side front perspective view of the hook according to FIG. 9;

FIG. 11 is a left side view of the hook according to FIG. 9;

FIG. 12 is a right side view of a first side of the hook according to FIG. 9;


FIG. 13 is an enlarged top view of the hook according to FIG. 9;

FIG. 14 is an enlarged bottom view of the hook according to FIG. 9;

FIG. 15 is an enlarged rear view of the hook according to FIG. 9; and,

FIG. 16 is an enlarged front view of the hook according to FIG. 9.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7



FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16