



US00D577590S

(12) **United States Design Patent**
Ulicny

(10) **Patent No.:** **US D577,590 S**
(45) **Date of Patent:** **** Sep. 30, 2008**

(54) **CONTAINER**

(75) Inventor: **Trenton S. Ulicny**, New York, NY (US)

(73) Assignee: **Ty Ku, LLC**, New York, NY (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/254,614**

(22) Filed: **Feb. 24, 2006**

(51) **LOC (8) Cl.** **09-01**

(52) **U.S. Cl.** **D9/529; D9/561**

(58) **Field of Classification Search** D9/682,
D9/686, 693-694, 519, 522-523, 529, 561,
D9/574-575, 414, 549, 544; D7/598; 215/382-384,
215/400; 220/660, 662, 669

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | |
|--------------|---------|------------------|-------|----------|
| D45,673 S * | 4/1914 | Hennessy | | D9/546 |
| D54,244 S * | 12/1919 | Corey | | D9/783 |
| D94,546 S * | 2/1935 | Gibson | | D9/529 |
| D178,561 S * | 8/1956 | Wunderly | | D9/561 |
| D184,115 S * | 12/1958 | Stark | | D9/529 X |
| D199,203 S * | 9/1964 | Dailey | | D9/561 |
| D210,115 S * | 2/1968 | Armour | | D9/529 |
| D229,723 S * | 12/1973 | Grimes | | D24/197 |
| D252,982 S | 9/1979 | Ohmori | | |
| D257,667 S | 12/1980 | Ito | | |
| D257,956 S | 1/1981 | Ito | | |
| D263,115 S | 2/1982 | Ohmori | | |
| D263,563 S | 3/1982 | Ito | | |
| D280,707 S | 9/1985 | Imanishi | | |
| D286,097 S | 10/1986 | Imanishi | | |
| 4,658,974 A | 4/1987 | Fujita | | |
| D294,804 S * | 3/1988 | Lunderman et al. | | D9/529 |
| D369,559 S * | 5/1996 | Vilval | | D9/561 |
| D372,644 S * | 8/1996 | Husted | | D9/529 X |
| D373,730 S * | 9/1996 | Baron | | D9/504 |
| D374,614 S * | 10/1996 | Uhl et al. | | D9/687 |
| D377,147 S * | 1/1997 | Baron | | D9/529 |
| D392,880 S | 3/1998 | Fujimoto | | |
| D394,210 S * | 5/1998 | Fiore | | D9/529 |

| | | |
|-------------|--------|-----------|
| 5,950,850 A | 9/1999 | Takamatsu |
| D425,422 S | 5/2000 | David |
| D426,150 S | 6/2000 | Izumi |
| D437,214 S | 2/2001 | Kato |
| D437,215 S | 2/2001 | Kato |

(Continued)

FOREIGN PATENT DOCUMENTS

| | | |
|----|-----------|---------|
| CN | 3014925 S | 8/1992 |
| CN | 2156147 | 2/1994 |
| CN | 3026861D | 7/1994 |
| CN | 3074052D | 2/1998 |
| CN | 3085755D | 9/1998 |
| CN | 3019730D | 12/1998 |
| CN | 2315070 Y | 4/1999 |
| CN | 2324117 | 6/1999 |
| CN | 2340732 | 9/1999 |
| CN | 2345467 | 10/1999 |
| CN | 2368794 | 3/2000 |
| CN | 2383439 Y | 6/2000 |
| CN | 3171309D | 1/2001 |

(Continued)

Primary Examiner—Carol Rademaker

(74) *Attorney, Agent, or Firm*—Ostrolenk, Faber, Gerb & Soffen, LLP

(57) **CLAIM**

The ornamental design for a container, substantially as shown and described.

DESCRIPTION

FIG. 1 is a rear elevational view of a container showing my new design, taken in the direction of arrow "A" as shown in FIG. 3;


FIG. 2 is a front elevational view thereof, taken in the direction of arrow "B" as shown in FIG. 3;

FIG. 3 is a top plan view thereof;

FIG. 4 is a bottom plan view thereof; and,

FIG. 5 is a perspective view thereof.

1 Claim, 2 Drawing Sheets



US D577,590 S

Page 2

U.S. PATENT DOCUMENTS

D459,229 S * 6/2002 Paul D9/529
D468,210 S * 1/2003 Joubert D9/529
D497,038 S * 10/2004 Tsai D28/85
D542,665 S * 5/2007 Poe, II D9/529
D546,693 S * 7/2007 Okin et al. D9/529
D558,050 S * 12/2007 Urcun D9/529
D558,057 S * 12/2007 De Baschmakoff D9/561

FOREIGN PATENT DOCUMENTS

CN 2436437 6/2001
CN 3203626 10/2001
CN 2476213 Y 2/2002
CN 2497650 Y 7/2002
CN 3248556 7/2002
CN 2508650 Y 9/2002
CN 3267270D 12/2002
CN 3268360 12/2002
CN 3307143 7/2003

CN 3308564 7/2003
CN 2568570 8/2003
CN 2576625 Y 10/2003
CN 2594183 Y 12/2003
CN 3344702D 1/2004
CN 2626893 7/2004
CN 2637354 9/2004
CN 1545961 A 11/2004
CN 3406441D 11/2004
CN 2675598 2/2005
CN 3433565D 3/2005
CN 3461720 7/2005
CN 3468122 8/2005
CN 3477612D 9/2005
CN 3483905 11/2005
CN 2680616 Y 2/2006
CN 2772365 4/2006
CN 2776861 5/2006

* cited by examiner




FIG. 1




FIG. 3




FIG. 2




FIG. 4



FIG. 5