



US00D577631S

(12) **United States Design Patent**  
**Kawaguchi**

(10) **Patent No.:** **US D577,631 S**

(45) **Date of Patent:** **\*\* Sep. 30, 2008**

(54) **BELT ADJUSTMENT TOOL**

D496,881 S \* 10/2004 Pontaoe ..... D11/216  
D559,146 S \* 1/2008 Kawaguchi ..... D11/216  
D567,709 S \* 4/2008 Cho ..... D11/216

(75) Inventor: **Gaku Kawaguchi**, Yokohama (JP)

(73) Assignee: **Nifco Inc.**, Yokohama-Shi, Kanagawa (JP)

\* cited by examiner

*Primary Examiner*—R. Seifert

(74) *Attorney, Agent, or Firm*—Manabu Kanesaka

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/287,856**

(57) **CLAIM**

(22) Filed: **Sep. 27, 2007**

The ornamental design for a belt adjustment tool, as shown and described.

(30) **Foreign Application Priority Data**

Apr. 25, 2007 (JP) ..... 2007-013968

**DESCRIPTION**

(51) **LOC (8) Cl.** ..... **02-07**

FIG. 1 is a front view of a belt adjustment tool showing my new design;

(52) **U.S. Cl.** ..... **D11/216**

FIG. 2 is a rear view thereof;

(58) **Field of Classification Search** ..... D11/1-2,  
D11/86, 87, 200-201, 206-210, 212-216,  
D11/218; 24/163 R, 169-171, 173, 177-179,  
24/191, 194-195, 197, 200, 303

FIG. 3 is a right side view thereof, a left side view being the same as the right side view;

See application file for complete search history.

FIG. 4 is a plan view;

FIG. 5 is a bottom view thereof;

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

FIG. 6 is a sectional view thereof taken along line 6-6 in FIG. 1; and,

FIG. 7 is a perspective view thereof.

D466,438 S \* 12/2002 Buettell ..... D11/200

D495,970 S \* 9/2004 Uehara et al. .... D11/216

**1 Claim, 3 Drawing Sheets**




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5



Fig. 6




Fig. 7

