

US00D577707S

(12) **United States Design Patent**
Lee et al.

(10) **Patent No.:** **US D577,707 S**
(45) **Date of Patent:** **** Sep. 30, 2008**

(54) **PORTABLE TRANSLATION MACHINE**

(75) Inventors: **Dong-Kyu Lee**, Yongin-si (KR);
Sung-Jin Ann, Seoul (KR)

(73) Assignee: **Samsung Electronics Co., Ltd.**,
Suwon-Si (KR)

(**) Term: **14 Years**

(21) Appl. No.: **29/290,715**

(22) Filed: **Jan. 4, 2008**

(51) **LOC (8) Cl.** **14-99**

(52) **U.S. Cl.** **D14/158; D14/167**

(58) **Field of Classification Search** D14/167,
D14/154, 168, 188, 496, 156, 160, 161, 162,
D14/163, 164, 165, 158; D16/208; D26/38;
455/351, 350

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | |
|---------------|---------|---------------|-------|---------|
| D167,828 S * | 9/1952 | Florac | | D14/194 |
| 3,165,991 A * | 1/1965 | Yoshida | | 396/434 |
| D302,544 S * | 8/1989 | Spira | | D13/168 |
| D306,853 S * | 3/1990 | Mayo et al. | | D13/168 |
| D398,605 S * | 9/1998 | Murray et al. | | D14/137 |
| D496,003 S * | 9/2004 | Spira | | D13/168 |
| D500,301 S * | 12/2004 | Deguchi | | D14/167 |
| D506,471 S * | 6/2005 | Iikura et al. | | D14/474 |

| | | | | |
|--------------|---------|---------------|-------|---------|
| D512,043 S * | 11/2005 | Yagi | | D14/167 |
| D552,586 S * | 10/2007 | Kim | | D14/138 |
| D556,154 S * | 11/2007 | Poulet et al. | | D13/168 |
| D560,617 S * | 1/2008 | Poulet | | D13/158 |
| D563,954 S * | 3/2008 | Buchanon | | D14/356 |

* cited by examiner

Primary Examiner—Cathron Brooks

Assistant Examiner—Austin Murphy

(74) *Attorney, Agent, or Firm*—Staas & Halsey LLP

(57) **CLAIM**

The ornamental design for a portable translation machine, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a portable translation machine according to our new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;

FIG. 4 is a left side elevational view thereof;

FIG. 5 is a right side elevational view thereof;

FIG. 6 is a top plan view thereof;

FIG. 7 is a bottom plan view thereof; and,

FIG. 8 is a perspective view of the portable translation machine according to our new design in a state in which the portable translation machine is rotating when used.

1 Claim, 6 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

