



US00D577765S

(12) **United States Design Patent**
Taute

(10) **Patent No.:** **US D577,765 S**
(45) **Date of Patent:** **** Sep. 30, 2008**

(54) **ENVELOPE FOR MAILING AND RETURN**

DESCRIPTION

- (75) Inventor: **Hans-Georg Taute**, Bad Hersfeld (DE)
- (73) Assignee: **Amazon Europe Holding Technologies SCS**, Luxembourg (LU)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/284,105**
- (22) Filed: **Aug. 30, 2007**

Related U.S. Application Data

- (63) Continuation of application No. 11/262,504, filed on Oct. 28, 2005.

(30) **Foreign Application Priority Data**

May 18, 2005 (DE) 20 2005 007 765

- (51) **LOC (8) Cl.** **19-01**
- (52) **U.S. Cl.** **D19/3**
- (58) **Field of Classification Search** D19/1-6;
229/70-71, 75, 80-80.5, 301-306
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,164,606 A * 12/1915 Wittman 229/306

(Continued)

Primary Examiner—Robert M. Spear
Assistant Examiner—Susan E Krakower
 (74) *Attorney, Agent, or Firm*—Christensen O'Connor Johnson Kindness PLLC



(57) **CLAIM**

The ornamental design for an envelope for mailing and return, substantially as shown and described.

FIG. 1 is a front elevational view of a first embodiment of an envelope for mailing and return showing my new design;
 FIG. 2 is a front elevational view thereof, showing the envelope in a partially folded condition;
 FIG. 3 is a front elevational view thereof, showing the envelope in an alternate folded condition;
 FIG. 4 is a front elevational view thereof, showing the envelope in an alternate folded condition;
 FIG. 5 is a front elevational view thereof, showing the envelope in a closed condition;
 FIG. 6 is a front elevational view thereof, showing the envelope in an alternate folded condition, exactly like FIG. 4;
 FIG. 7 is a front elevational view thereof, showing the envelope in an alternate folded condition;
 FIG. 8 is a front elevational view thereof, showing the envelope in a closed condition;
 FIG. 9 is a front elevational view thereof, showing the envelope in an alternate folded condition;
 FIG. 10 is a front elevational view thereof, showing the envelope in an alternate folded condition;
 FIG. 11 is a front elevational view thereof, showing the envelope in an alternate folded condition;
 FIG. 12 is a front elevational view of a second embodiment of an envelope for mailing and return showing my new design; and,
 FIG. 13 is a front elevational view thereof, showing the envelope in a closed condition.

The portion of the disclosure shown in broken lines represents structural environment and forms no part of the claimed design.

1 Claim, 5 Drawing Sheets



US D577,765 S

Page 2

U.S. PATENT DOCUMENTS

1,960,054	A *	5/1934	Johnson	229/92.3	4,382,539	A *	5/1983	Kronman	229/302
2,201,538	A *	5/1940	Holden	229/306	D314,586	S *	2/1991	Campbell, Jr.	D19/3
2,681,175	A *	6/1954	David	229/75	5,197,663	A *	3/1993	Stude	229/303
2,931,559	A *	4/1960	Hilliard	229/306	5,224,647	A *	7/1993	Yanow	229/302
3,113,716	A *	12/1963	Howard	229/304	5,251,810	A *	10/1993	Kim	229/303
3,372,861	A *	3/1968	Johnson et al.	229/80	D363,083	S *	10/1995	Thompson et al.	D19/3
3,908,892	A *	9/1975	Pelzer	229/305	5,738,274	A *	4/1998	Stude	229/301
3,946,938	A *	3/1976	Kranz	229/305	D483,064	S *	12/2003	Woods et al.	D19/3
4,245,775	A *	1/1981	Conn	229/71	D536,375	S *	2/2007	Potter et al.	D19/3
D268,117	S *	3/1983	Solomon	D19/3						

* cited by examiner




Fig. 1.




Fig. 2.

Fig. 3.




Fig. 4.




Fig. 5.



Fig. 6.




Fig. 7.




Fig. 8.



Fig. 9.




Fig. 10.




Fig. 11.




Fig.12.




Fig.13.

