

US00D577988S

(12) United States Design Patent

Wrase et al.

(10) Patent No.:

US D577,988 S

(45) Date of Patent:

t: ** Oct. 7, 2008

(54) ERGONOMIC LYNCH PIN

(76) Inventors: **Ronald H. Wrase**, 9430 Woodridge Way, Savage, MN (US) 55378; **Bruce E. Kyro**, 6360 Broadview Dr., Prior Lake,

MN (US) 55372

(**)	Term:	14 Years
(21)	Appl. No.:	29/280,273
(0.0)	T-11 1	3.5 00 00

(22)	Filed:	May 22, 2007	
(51)	LOC (8)	C1	08-05
(52)	U.S. Cl.		D8/354
(58)	Field of C	Classification Search	D8/349
		D8/354: 411/530, 34, 43, 70:	410/102

(56) References Cited

U.S. PATENT DOCUMENTS

See application file for complete search history.

		Stoddard
4,630,982 A *	12/1986	Fenner 410/102
4,844,673 A *	7/1989	Kendall 411/34

OTHER PUBLICATIONS

AU 118477 S (John McIntyre MacFarlane) Oct. 14, 1993 [online][retrieved on May 5, 2008]. Retrieved from Australian patent database.*

Primary Examiner—Holly H Baynham (74) Attorney, Agent, or Firm—Robert A. Pajak

(57) CLAIM

The ornamental design for an ergonomic lynch pin, as shown and described.

DESCRIPTION

FIG. 1 is a front view thereof an ergonomic lynch pin embodying our design with ring in partially open position;

FIG. 2 is a side elevation view;

FIG. 3 is a rear plan view thereof, opposite that of FIG. 1;

FIG. 4 is a side elevation view as seen from the opposite side of FIG. 2;


FIG. 5 is a top elevation view thereof as viewed from the top of FIG. 2;

FIG. 6 is a bottom elevation view thereof as viewed from the bottom of FIG. 2;

FIG. 7 is a perspective view of an ergonomic lynch pin embodying our design; and,

FIG. 8 is another perspective view of an ergonomic lynch pin embodying our design in the closed position as viewed from the front.

1 Claim, 2 Drawing Sheets



^{*} cited by examiner

Oct. 7, 2008




Figure 1

Figure 2




Figure 3





Figure 4



Oct. 7, 2008





Figure 5

Figure 6








Figure 8