



US00D578010S

(12) **United States Design Patent**
Friedland et al.

(10) **Patent No.:** **US D578,010 S**
(45) **Date of Patent:** **** Oct. 7, 2008**

(54) **HEXAGON SHAPED VACUUM POUCH**

(75) Inventors: **Jason Friedland**, Franklin, TN (US);
Angel Hernanadez, Nolensville, TN
(US); **Rebecca Morgan Valentine**,
Franklin, TN (US); **Peter Slusarczyk**,
Nolensville, TN (US)

(73) Assignee: **MARS, Incorporated**, McLean, VA
(US)

(**) Term: **14 Years**

(21) Appl. No.: **29/287,510**

(22) Filed: **Aug. 17, 2007**

(51) **LOC (8) Cl.** **09-05**

(52) **U.S. Cl.** **D9/707**

(58) **Field of Classification Search** D9/703-710,
D9/713-714, 430-433, 414, 418, 424; 383/45,
383/47, 84, 100, 103, 107, 108, 113, 114,
383/200, 203; 229/200, 87.06; 426/106
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D087,540 S	8/1932	Picker	
D113,440 S	2/1939	Salfisberg	
D115,526 S	7/1939	Salfisberg	
D134,061 S	10/1942	Salfisberg	
D137,262 S	2/1944	Hiemenz	
2,654,471 A *	10/1953	Kopald et al.	206/484
2,973,006 A	2/1961	Nelson	
D193,811 S	10/1962	Ebbert et al.	
D201,644 S	7/1965	Cave	
3,294,224 A	12/1966	Horwitz	
3,387,766 A	6/1968	Kugler	
3,502,487 A *	3/1970	Byrd	426/106
3,650,461 A	3/1972	Hutcheson	
D242,900 S	1/1977	Seiferth et al.	
D250,880 S	1/1979	Stone et al.	
4,378,069 A *	3/1983	Franco	383/207
4,543,279 A	9/1985	Kai	
D297,306 S	8/1988	King	

4,784,864 A	11/1988	Ikeda	
4,903,841 A	2/1990	Ohsima et al.	
D306,555 S *	3/1990	Lane et al.	D9/707
D314,885 S	2/1991	Brunner	
D318,611 S	7/1991	Sherman	
5,038,547 A	8/1991	Kai et al.	
D326,222 S	5/1992	McAtarian	
D354,906 S *	1/1995	Lane et al.	D9/707

(Continued)

OTHER PUBLICATIONS

U.S. Appl. No. 29/287,527, Friedland, et. al.

(Continued)

Primary Examiner—Caron D. Veynar
Assistant Examiner—Abraham Bahta
(74) *Attorney, Agent, or Firm*—Arent Fox LLP

(57) **CLAIM**

The ornamental design for a hexagon shaped vacuum pouch,
as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a hexagon shaped vacuum
pouch showing our new design;

FIG. 2 is a top view of the design shown in FIG. 1, wherein the
bottom view is identical or a mirror image thereof;


FIG. 3 is a front view of the design shown in FIG. 1;

FIG. 4 is a rear view of the design shown in FIG. 1; and,

FIG. 5 is a right side view of the design shown in FIG. 1,
wherein the left view is identical or a mirror image thereof.

The broken lines shown in the drawing are for illustrative
purposes only and form no part of the claimed design.

1 Claim, 2 Drawing Sheets



U.S. PATENT DOCUMENTS

D386,698	S	11/1997	Giardiello	
5,779,052	A	7/1998	Woodford et al.	
6,083,584	A	7/2000	Smith et al.	
D429,459	S	8/2000	Berman	
D436,847	S	* 1/2001	Berman	D9/710
D440,868	S	4/2001	Berman	
D442,078	S	* 5/2001	Fuquen	D9/707
D446,445	S	8/2001	Croft et al.	
D450,574	S	11/2001	Campbell	
D452,144	S	12/2001	Tedeschi, Jr. et al.	
D452,817	S	1/2002	Berman	
D454,457	S	3/2002	Ou-Young	
D454,487	S	3/2002	Bell et al.	
D462,897	S	9/2002	Amundson	
D463,266	S	9/2002	Zappa	
D463,738	S	* 10/2002	Jones	D9/710
D463,974	S	* 10/2002	Berman	D9/707
D465,726	S	11/2002	Tet	
D466,003	S	* 11/2002	Jones et al.	D9/710
D468,630	S	1/2003	Ambrose	
D469,120	S	1/2003	Maloney	
D471,090	S	* 3/2003	Jones	D9/710
D473,131	S	4/2003	Berman	
D473,132	S	* 4/2003	Berman	D9/710
D475,614	S	6/2003	Jones	
D475,915	S	6/2003	Lawrie et al.	
D477,992	S	8/2003	Dennis et al.	
D486,730	S	2/2004	Rasmussen	
D522,374	S	* 6/2006	Nova et al.	D9/629

D542,152	S	5/2007	Klis
D545,689	S	7/2007	Peel
D551,567	S	9/2007	Berman
D558,594	S	1/2008	Kirou et al.
D558,601	S	1/2008	Berman

OTHER PUBLICATIONS

U.S. Appl. No. 29/287,526, Friedland, et. al.
U.S. Appl. No. 29/287,522, Shields.
U.S. Appl. No. 29/287,513, Friedland, et. al.
U.S. Appl. No. 29/287,535, Friedland, et. al.
U.S. Appl. No. 29/287,515, Friedland, et. al.
U.S. Appl. No. 29/287,539, Beyer, et. al.
U.S. Appl. No. 29/287,525, Friedland, et. al.
U.S. Appl. No. 29/287,512, Friedland, et. al.
U.S. Appl. No. 29/287,518, Beyer, et. al.
U.S. Appl. No. 29/287,519, Shields.
U.S. Appl. No. 29/287,520, Friedland, et. al.
U.S. Appl. No. 29/287,523, Friedland, et, al.
U.S. Appl. No. 29/287,536, Friedland, et. al.
U.S. Appl. No. 29/287,514, Friedland, et. al.
U.S. Appl. No. 29/287,528, Friedland, et. al.
U.S. Appl. No. 29/287,511, Friedland, et. al.
U.S. Appl. No. 29/287,538, Friedland, et. al.
U.S. Appl. No. 29/287,537, Friedland, et. al.
U.S. Appl. No. 29/287,521, Friedland, et. al.
U.S. Appl. No. 29/287,524, Friedland, et. al.
U.S. Appl. No. 11/840,825, Slusarczyk, et. al.

* cited by examiner

FIG.1




FIG.2




FIG.3




FIG.4





FIG.5



UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : Des. 578,010 S
APPLICATION NO. : 29/287510
DATED : October 7, 2008
INVENTOR(S) : Jason Michael Friedland et al.


Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title Page; item (75);
Delete the second inventor's last name incorrectly shown as "HERNANADEZ" and
insert --HERNANDEZ--.

Signed and Sealed this

Thirtieth Day of December, 2008

A handwritten signature in black ink, reading "Jon W. Dudas". The signature is stylized, with the first name "Jon" and last name "Dudas" clearly legible, and "W." in the middle.

JON W. DUDAS

Director of the United States Patent and Trademark Office