



US00D578055S

(12) **United States Design Patent**  
**Halm**

(10) **Patent No.:** **US D578,055 S**  
(45) **Date of Patent:** **\*\* Oct. 7, 2008**

(54) **KAYAK, CANOE, BOAT PADDLE**

(76) Inventor: **Edward P Halm**, 180 Pinellas La.,  
Cocoa Beach, FL (US) 32931

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/295,039**

(22) Filed: **Sep. 20, 2007**

(51) **LOC (8) Cl.** ..... **12-16**

(52) **U.S. Cl.** ..... **D12/215**

(58) **Field of Classification Search** ..... D12/215;  
440/101, 102; 416/70 R, 71

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,164,361	A	12/1915	Kilgore	
3,030,641	A	4/1962	Ake	
3,040,693	A	6/1962	Bunker	
3,043,261	A	7/1962	Snodgrass	
D216,227	S *	12/1969	Nichols	D12/215
4,605,378	A *	8/1986	Hamilton	440/102
D320,375	S *	10/1991	Bruce	D12/215
5,163,778	A	11/1992	Botero	
D460,399	S *	7/2002	Peng	D12/215
6,588,356	B2	7/2003	Buchanan	
6,658,743	B2	12/2003	Dudley, Jr. et al.	
D519,798	S	5/2006	Dallas	
2003/0208910	A1	11/2003	Dudley, Jr. et al.	

OTHER PUBLICATIONS

Hunter's Specialties Push Pole and Attachments, [online] Cabela's World's Foremost Outfitter, Cabela's—Hunter's Specialties Push Pole and Attachments, Hunting Archery Shooting Gear category, 2 pages [retrieved on Sep. 20, 2007] Retrieved from: <http://cabelas.com/cabelas/en/templates/links/kink.jsp;jsessionid=OP4ZLERMZ5ZJ4...>

Telescoping Paddle & Boat Hook, [online] Amazon.com: Telescoping Paddle & Boat Hook: Sports & Outdoors, Sports & Outdoors

category, 4 pages [retrieved on Sep. 20, 2007] Retrieved from: <http://www.amazon.com/dp/B000H7E3Oo/ref=nosim/?tag=dealttime-sg-ret-20&creative=3...>

\* cited by examiner

*Primary Examiner*—Lisa P Lichtenstein

(74) *Attorney, Agent, or Firm*—Brian S. Steinberger; Law Offices of Brian S. Steinberger, P.A.

(57) **CLAIM**

The ornamental design for a kayak, canoe and boat paddle, as shown and described.

**DESCRIPTION**

FIG. 1 is a top right perspective view of a design of the novel paddle.

FIG. 2 is a top left perspective view of the design of FIG. 1.

FIG. 3 is a bottom perspective view of the design of FIG. 1.

FIG. 4 is a bottom left view of the design of FIG. 1.

FIG. 5 is a top view of the design of FIG. 1.

FIG. 6 is a bottom view of the design of FIG. 1.

FIG. 7 is a right side view of the design of FIG. 1.

FIG. 8 is a left side view of the design of FIG. 1.

FIG. 9 is a tip end view of the design of FIG. 1.

FIG. 10 is a rear end view of the design of FIG. 1.

FIG. 11 is another top view of the paddle design of FIG. 5.


FIG. 12 is another right side view of the paddle design of FIG. 7.

FIG. 13 is a reduced cross-sectional view of the paddle design of FIG. 11 along arrow 13—13.

FIG. 14 is a reduced cross-sectional view of the paddle design of FIG. 12 along arrow 14—14.

The broken line showing of an end connector portion, fastener opening and a raised elongated mid-section is included for the purpose of illustrating environmental structure and forms no part of the claimed design.

**1 Claim, 10 Drawing Sheets**






Fig. 1




Fig. 2




Fig. 3




Fig. 4

Fig. 5




Fig. 6




Fig. 8




Fig. 7






Fig. 9




Fig. 10




Fig. 11





Fig. 12

Fig. 13




Fig. 14

