



US00D578120S

(12) **United States Design Patent**
Lowe et al.

(10) **Patent No.:** **US D578,120 S**
(45) **Date of Patent:** **** Oct. 7, 2008**

(54) **3-DIMENSIONAL VISOR DISPLAY UNIT**

(75) Inventors: **Danny D. Lowe**, Calgary (CA); **Isack Schwartz**, Calgary (CA); **Glenn D. Bonsall**, Calgary (CA)

(73) Assignee: **Headplay (Barbados) Inc.**, Bridgetown (BB)

(**) Term: **14 Years**

(21) Appl. No.: **29/260,453**

(22) Filed: **May 25, 2006**

(51) **LOC (8) Cl.** **14-02**

(52) **U.S. Cl.** **D14/372**

(58) **Field of Classification Search** D14/372,
D14/496, 432, 449, 371; D16/300–342;
D29/102–110; 348/180, 184, 53, 115, 121,
348/838; 345/7, 8, 9, 905; 351/158, 44;
359/407, 431, 443, 480, 630

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D181,750 S *	12/1957	Reed	D29/110
D194,556 S *	2/1963	Ranck	D16/309
D210,421 S *	3/1968	Mitchell	D16/313
D271,211 S *	11/1983	Raicevic	D16/313
5,106,179 A *	4/1992	Kamaya et al.	351/158
5,276,471 A *	1/1994	Yamauchi et al.	351/153
D346,391 S *	4/1994	Iida	D16/314
D351,622 S *	10/1994	Holmes	D14/372
D352,046 S *	11/1994	Kataoka	D16/309
5,371,556 A *	12/1994	Suwa et al.	351/158
D369,160 S *	4/1996	Gotoh et al.	D14/160
D381,346 S *	7/1997	Ronzani et al.	D14/372
5,708,449 A *	1/1998	Heacock et al.	345/8
5,825,340 A *	10/1998	Torizuka et al.	345/8
5,880,773 A *	3/1999	Suzuki	348/115
D439,265 S *	3/2001	Hayashi	D14/372
6,215,461 B1 *	4/2001	Ishibashi et al.	345/8

(Continued)

Primary Examiner—Cathron Brooks

Assistant Examiner—Deanna Fluegeman

(74) *Attorney, Agent, or Firm*—Fulbright & Jaworski L.L.P.

(57) **CLAIM**

The ornamental design for a 3-dimensional visor display unit, as shown and described.

DESCRIPTION

FIG. 1 is a front view of the 3-dimensional visor display unit according to the present invention.

FIG. 2 is a rear view of the 3-dimensional visor display unit according to the present invention.

FIG. 3 is a top view of the 3-dimensional visor display unit according to the present invention.

FIG. 4 depicts a perspective view of a bottom portion of the 3-dimensional visor display unit according to the present invention.

FIG. 5 is a side view of the 3-dimensional visor display unit according to the present invention.


FIG. 6 is a side view of the 3-dimensional visor display unit from the opposite side as shown in FIG. 5 according to the present invention; and,

FIG. 7 depicts a perspective view of a front portion of the 3-dimensional visor display unit according to the present invention.

It should be understood that the labels used herein for describing orientation (e.g., front, rear, top, bottom, right and left) are merely for reference, and the design may be disposed in any manner and still be within the scope of the present invention. The portions of the article in broken lines are shown for illustrative purposes only and form no part of the claimed design.

The broken lines shown in the drawings represent portions of the 3-dimensional visor display unit, that form no part of the claimed design.

1 Claim, 2 Drawing Sheets



US D578,120 S

Page 2

U.S. PATENT DOCUMENTS

6,232,934 B1 *	5/2001	Heacock et al.	345/8	6,727,865 B1 *	4/2004	Yonezawa	345/7
D443,864 S *	6/2001	Obata	D14/372	2002/0158813 A1 *	10/2002	Kiyokawa et al.	345/7
6,351,252 B1 *	2/2002	Atsumi et al.	345/8	2002/0171605 A1 *	11/2002	Kim et al.	345/8
6,400,341 B1 *	6/2002	Maeda et al.	345/8	2005/0168824 A1 *	8/2005	Travers et al.	359/630

* cited by examiner

FIG. 1




FIG. 2




FIG. 3





FIG. 4







FIG. 7

