



US00D578128S

(12) **United States Design Patent**
Lee et al.

(10) **Patent No.:** **US D578,128 S**
(45) **Date of Patent:** **** Oct. 7, 2008**

- (54) **DOCKING DEVICE**
- (75) Inventors: **Shih-Yun Lee**, Chungho (TW);
Jung-Wen Chang, Tao Yuan Shien
(TW); **Chun-Yu Chen**, Luchou (TW)
- (73) Assignee: **Quanta Computer Inc.**, Tao Yuan Shien
(TW)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/267,943**
- (22) Filed: **Oct. 26, 2006**
- (30) **Foreign Application Priority Data**
Jul. 5, 2006 (TW) 95303777

6,607,408	B2 *	8/2003	Milan	361/732
D482,653	S *	11/2003	Cho	D13/110
D482,678	S *	11/2003	Chung	D14/240
6,661,669	B1 *	12/2003	Cho	361/752
D487,262	S *	3/2004	van Engelen et al.	D14/240
6,716,047	B2 *	4/2004	Milan	361/731
6,726,509	B2 *	4/2004	Milan	439/752.5
6,905,374	B2 *	6/2005	Milan	439/752.5
D507,569	S *	7/2005	Tagliabue et al.	D14/434
D512,718	S *	12/2005	Mori et al.	D14/434
D513,231	S *	12/2005	Han et al.	D13/147
D514,095	S *	1/2006	Wilson et al.	D14/223
D516,031	S *	2/2006	Han et al.	D13/147
D519,504	S *	4/2006	Tagliabue et al.	D14/434
D520,460	S *	5/2006	Wadsworth et al.	D13/156
D542,786	S *	5/2007	Karlsson et al.	D14/302
D550,614	S *	9/2007	Fee et al.	D13/107
2001/0021101	A1 *	9/2001	Tong et al.	361/686
2004/0001322	A1 *	1/2004	Cho	361/752

- (51) **LOC (8) Cl.** **14-02**
- (52) **U.S. Cl.** **D14/433; D14/434**
- (58) **Field of Classification Search** D14/240,
D14/242, 356, 358, 363, 365, 367, 370, 432-437,
D14/439; D13/147, 164, 123, 133, 146,
D13/110, 199, 103, 162, 159, 160, 184; 361/683,
361/684, 686, 724, 735, 737, 752
See application file for complete search history.

* cited by examiner

Primary Examiner—Freda S. Nunn
Assistant Examiner—Deanna Fluegeman
(74) *Attorney, Agent, or Firm*—Rabin & Berdo, PC

(56) **References Cited**

U.S. PATENT DOCUMENTS

D220,105	S *	3/1971	Small	D14/300
D368,721	S *	4/1996	Howell et al.	D14/240
D382,255	S *	8/1997	Moffatt	D14/358
D396,852	S *	8/1998	Chao	D14/358
6,141,221	A *	10/2000	Tong et al.	361/724
D433,994	S *	11/2000	Jobs et al.	D14/433
D436,109	S *	1/2001	Tong et al.	D14/434
D437,289	S *	2/2001	Chase et al.	D13/123
D448,384	S *	9/2001	Adriaansen et al.	D14/433
D459,725	S *	7/2002	Lee et al.	D14/358
D463,410	S *	9/2002	Strand et al.	D14/240
D469,770	S *	2/2003	Carpenter et al.	D14/433
6,560,102	B1 *	5/2003	Tong et al.	361/686


(57) **CLAIM**

The ornamental design for a docking device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a docking device showing our new design;
FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a left side view thereof;
FIG. 5 is a right side view thereof;
FIG. 6 is a top view thereof; and,
FIG. 7 is a bottom view thereof.

1 Claim, 4 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7