



US00D578473S

(12) **United States Design Patent**
Okuda et al.

(10) **Patent No.:** **US D578,473 S**
(45) **Date of Patent:** **** Oct. 14, 2008**

(54) **BATTERY CHARGER**
(75) Inventors: **Shinsuke Okuda**, Anjo (JP); **Akira Naito**, Anjo (JP)
(73) Assignee: **Makita Corporation**, Anjo-shi (JP)
(**) Term: **14 Years**
(21) Appl. No.: **29/293,999**
(22) Filed: **Dec. 20, 2007**

D429,211 S * 8/2000 Ohi et al. D13/107
D446,184 S * 8/2001 Parker D13/107
D515,502 S * 2/2006 Wen D13/108
D533,134 S * 12/2006 Aglassinger D13/108
D541,740 S * 5/2007 Tsai et al. D13/108
D548,177 S * 8/2007 Okuda D13/107

FOREIGN PATENT DOCUMENTS

JP S 1281331 9/2006

* cited by examiner

Primary Examiner—Jennifer Rivard
Assistant Examiner—Rosemary K Tarcza

(30) **Foreign Application Priority Data**
Jul. 20, 2007 (JP) 2007-019767
(51) **LOC (8) Cl.** **13-02**
(52) **U.S. Cl.** **D13/107**
(58) **Field of Classification Search** D13/107–110,
D13/118–119, 184; D14/251, 253, 432,
D14/434; 320/107–115
See application file for complete search history.

(57) **CLAIM**


The ornamental design for a battery charger, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of top, front and left side of a battery charger showing our new design;
FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a top plan view thereof;
FIG. 5 is a bottom view thereof;
FIG. 6 is a right side view thereof; and,
FIG. 7 is a left side view thereof.

(56) **References Cited**
U.S. PATENT DOCUMENTS
D298,230 S * 10/1988 Lay D13/107
D302,808 S * 8/1989 Skuza et al. D13/107
D313,004 S * 12/1990 Hasegawa et al. D13/108
D366,703 S * 1/1996 Huen D24/214
D400,164 S * 10/1998 Lindahl D13/108
D400,499 S * 11/1998 Bunyea D13/107
D404,006 S * 1/1999 Clowers et al. D13/107

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7