



US00D578538S

(12) **United States Design Patent**  
**Frank et al.**

(10) **Patent No.:** **US D578,538 S**  
(45) **Date of Patent:** **\*\* Oct. 14, 2008**

(54) **ALLOY RACK DOOR**

(75) Inventors: **Christopher H. Frank**, San Jose, CA (US); **June Lee**, San Francisco, CA (US)

(73) Assignee: **Sun Microsystems, Inc.**, Santa Clara, CA (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/266,466**

(22) Filed: **Sep. 21, 2006**

(51) **LOC (8) Cl.** ..... **14-02**

(52) **U.S. Cl.** ..... **D14/441**

(58) **Field of Classification Search** ..... D14/441-446,  
D14/308, 312, 313; D13/184, 199; D6/492,  
D6/448; 174/374; 220/4.28; 360/92.1  
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,091,549	A *	8/1937	Kelso	.....	220/4.28
3,247,312	A *	4/1966	Alessi	.....	174/374
D341,962	S *	12/1993	Bovermann et al.	.....	D6/492
D379,004	S *	4/1997	Keijser et al.	.....	D13/184
D384,041	S *	9/1997	Gallasch	.....	D13/184

D390,835	S *	2/1998	Mayfield, III	.....	D13/184
5,781,367	A *	7/1998	Searle et al.	.....	360/92.1
D479,241	S *	9/2003	Witte	.....	D14/441
D492,315	S *	6/2004	Gant et al.	.....	D14/441

\* cited by examiner

*Primary Examiner*—Freda S Nunn

(74) *Attorney, Agent, or Firm*—Osha • Liang LLP

(57) **CLAIM**

The ornamental design for an alloy rack door, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of an alloy rack door according to the invention the broken lines being shown for environment only and form no part of the claimed design.

FIG. 2 is a front view thereof.

FIG. 3 is a rear perspective view thereof.



FIG. 4 is a right side view thereof.


FIG. 5 is a left side view thereof.

FIG. 6 is a top view thereof; and,


FIG. 7 is a bottom view thereof.

**1 Claim, 4 Drawing Sheets**






**FIG. 1**



*FIG. 2*



**FIG. 3**



FIG. 4




FIG. 5




FIG. 6




FIG. 7

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : Des. 578,538 S  
APPLICATION NO. : 29/266466  
DATED : October 14, 2008  
INVENTOR(S) : Christopher H. Frank et al.

Page 1 of 6

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title page should be deleted and substitute therefor the attached title page.

Drawings:

Delete Drawing Sheets 1-4 and substitute therefor the Drawing Sheets, consisting of Figs, 1-7, as shown on the attached pages.

Signed and Sealed this

Thirty-first Day of March, 2009



JOHN DOLL

*Acting Director of the United States Patent and Trademark Office*

(12) **United States Design Patent**  
**Frank et al.**

(10) **Patent No.:** **US D578,538 S**  
(45) **Date of Patent:** **\*\* Oct. 14, 2008**

(54) **ALLOY RACK DOOR**

(75) **Inventors:** **Christopher H. Frank, San Jose, CA (US); June Lee, San Francisco, CA (US)**

(73) **Assignee:** **Sun Microsystems, Inc., Santa Clara, CA (US)**

(\*\*) **Term:** **14 Years**

(21) **Appl. No.:** **29/266,466**

(22) **Filed:** **Sep. 21, 2006**

(51) **LOC (8) Cl.** ..... **14-02**

(52) **U.S. Cl.** ..... **D14/441**

(58) **Field of Classification Search** ..... **D14/441-446, D14/308, 312, 313; D13/184, 199; D6/492, D6/448; 174/374; 220/4.28; 360/92.1**  
 See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

2,091,549 A *	8/1937	Kelso	.....	220/4.28
3,247,312 A *	4/1966	Alessi	.....	174/374
D341,962 S *	12/1993	Bovermann et al.	.....	D6/492
D379,004 S *	4/1997	Keijser et al.	.....	D13/184
D384,041 S *	9/1997	Gallasch	.....	D13/184

D390,835 S *	2/1998	Mayfield, III	.....	D13/184
5,781,367 A *	7/1998	Scarle et al.	.....	360/92.1
D479,241 S *	9/2003	Witte	.....	D14/441
D492,315 S *	6/2004	Gant et al.	.....	D14/441

\* cited by examiner

*Primary Examiner*—Freda S Nunn

(74) *Attorney, Agent, or Firm*—Osha • Liang L.L.P

(57) **CLAIM**

The ornamental design for an alloy rack door, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of an alloy rack door according to the invention the broken lines being shown for environment only and form no part of the claimed design.

FIG. 2 is a front view thereof.

FIG. 3 is a rear perspective view thereof.


FIG. 4 is a right side view thereof.

FIG. 5 is a left side view thereof.

FIG. 6 is a top view thereof; and,

FIG. 7 is a bottom view thereof.

**1 Claim, 4 Drawing Sheets**




**U.S. Patent**

**Oct. 14, 2008**

**Sheet 1 of 4**

**D578,538 S**



**FIG. 1**




**U.S. Patent**

**Oct. 14, 2008**

**Sheet 2 of 4**

**D578,538 S**




**FIG. 2**

**U.S. Patent**

**Oct. 14, 2008**

**Sheet 3 of 4**

**D578,538 S**



**FIG. 3**




FIG. 4



FIG. 5




FIG. 6




FIG. 7

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : Des. 578,538 S  
APPLICATION NO. : 29/266466  
DATED : October 14, 2008  
INVENTOR(S) : Christopher H. Frank et al.

Page 1 of 6

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title page should be deleted and substitute therefor the attached title page.

Drawings:

Delete Drawing Sheets 1-4 and substitute therefor the Drawing Sheets, consisting of Figs. 1-7, as shown on the attached pages.

This certificate supersedes the Certificate of Correction issued March 31, 2009.

Signed and Sealed this

Ninth Day of June, 2009



JOHN DOLL  
*Acting Director of the United States Patent and Trademark Office*

(12) **United States Design Patent**  
**Frank et al.**

(10) **Patent No.:** **US D578,538 S**  
(45) **Date of Patent:** **\*\* Oct. 14, 2008**

(54) **ALLOY RACK DOOR**

(75) **Inventors:** **Christopher H. Frank**, San Jose, CA (US); **June Lee**, San Francisco, CA (US)

(73) **Assignee:** **Sun Microsystems, Inc.**, Santa Clara, CA (US)

(\*\*) **Term:** **14 Years**

(21) **Appl. No.:** **29/266,466**

(22) **Filed:** **Sep. 21, 2006**

(51) **LOC (8) Cl.** ..... **14-02**

(52) **U.S. Cl.** ..... **D14/441**

(58) **Field of Classification Search** ..... **D14/441-446, D14/308, 312, 313; D13/184, 199; D6/492, D6/448; 174/374; 220/4.28; 360/92.1**  
 See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

2,091,549 A *	8/1937	Kelso	.....	220/4.28
3,247,312 A *	4/1966	Alessi	.....	174/374
D341,962 S *	12/1993	Bovermann et al.	.....	D6/492
D379,004 S *	4/1997	Keijser et al.	.....	D13/184
D384,041 S *	9/1997	Gallasch	.....	D13/184

D390,835 S *	2/1998	Mayfield, III	.....	D13/184
5,781,367 A *	7/1998	Searle et al.	.....	360/92.1
D479,241 S *	9/2003	Witte	.....	D14/441
D492,315 S *	6/2004	Gant et al.	.....	D14/441

\* cited by examiner

*Primary Examiner*—Freda S Nunn

(74) *Attorney, Agent, or Firm*—Osha • Liang LLP

(57) **CLAIM**

The ornamental design for an alloy rack door, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of an alloy rack door according to the invention the broken lines being shown for environment only and form no part of the claimed design.

FIG. 2 is a front view thereof.

FIG. 3 is a rear perspective view thereof.


FIG. 4 is a right side view thereof.

FIG. 5 is a left side view thereof.

FIG. 6 is a top view thereof; and,

FIG. 7 is a bottom view thereof.

**1 Claim, 4 Drawing Sheets**




**U.S. Patent**


**Oct. 14, 2008**

**Sheet 1 of 4**

**D578,538 S**



**FIG. 1**




**FIG. 2**

**U.S. Patent**

**Oct. 14, 2008**

**Sheet 3 of 4**

**D578,538 S**



**FIG. 3**





FIG. 4



FIG. 5




FIG. 6




FIG. 7

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : Des. 578,538 S  
APPLICATION NO. : 29/266466  
DATED : October 14, 2008  
INVENTOR(S) : Christopher H. Frank et al.

Page 1 of 6

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title page should be deleted and substitute therefor the attached title page.

Drawings:

Delete Drawing Sheets 1-4 and substitute therefor the Drawing Sheets, consisting of Figs. 1-7, as shown on the attached pages.

This certificate supersedes the Certificates of Correction issued March 31, 2009 and June 9, 2009.

Signed and Sealed this

Fifth Day of January, 2010

A handwritten signature in black ink that reads "David J. Kappos". The signature is written in a cursive, slightly slanted style.

David J. Kappos  
*Director of the United States Patent and Trademark Office*

(12) **United States Design Patent**  
**Frank et al.**

(10) **Patent No.:** **US D578,538 S**  
(45) **Date of Patent:** **\*\* Oct. 14, 2008**

(54) **ALLOY RACK DOOR**

(75) Inventors: **Christopher H. Frank**, San Jose, CA (US); **June Lee**, San Francisco, CA (US)

(73) Assignee: **Sun Microsystems, Inc.**, Santa Clara, CA (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/266,466**

(22) Filed: **Sep. 21, 2006**

(51) **LOC (8) Cl.** ..... **14-02**

(52) **U.S. Cl.** ..... **D14/441**

(58) **Field of Classification Search** ..... **D14/441-446**,  
**D14/308, 312, 313; D13/184, 199; D6/492,**  
**D6/448; 174/374; 220/4.28; 360/92.1**  
 See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- 2,091,549 A \* 8/1937 Kelso ..... 220/4.28
- 3,247,312 A \* 4/1966 Alessi ..... 174/374
- D341,962 S \* 12/1993 Bovermann et al. .... D6/492
- D379,004 S \* 4/1997 Keijser et al. .... D13/184
- D384,041 S \* 9/1997 Gallasch ..... D13/184

- D390,835 S \* 2/1998 Mayfield, III ..... D13/184
- 5,781,367 A \* 7/1998 Searle et al. .... 360/92.1
- D479,241 S \* 9/2003 Witte ..... D14/441
- D492,315 S \* 6/2004 Gant et al. .... D14/441

\* cited by examiner

*Primary Examiner*—Freda S Nunn

(74) *Attorney, Agent, or Firm*—Osha • Liang LLP

(57) **CLAIM**

The ornamental design for an alloy rack door, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of an alloy rack door according to the invention the broken lines being shown for environment only and form no part of the claimed design.

FIG. 2 is a front view thereof.

FIG. 3 is a rear perspective view thereof.



FIG. 4 is a right side view thereof.

FIG. 5 is a left side view thereof.

FIG. 6 is a top view thereof, and,

FIG. 7 is a bottom view thereof.

**1 Claim, 4 Drawing Sheets**




**U.S. Patent**

**Oct. 14, 2008**

**Sheet 1 of 4**

**D578,538 S**




**FIG. 1**

**U.S. Patent**


**Oct. 14, 2008**

**Sheet 2 of 4**

**D578,538 S**



**FIG. 2**



**FIG. 3**



FIG. 4




FIG. 5




FIG. 6




FIG. 7