

(12) United States Design Patent (10) Patent No.: US D578,696 S Wang et al. (45) Date of Patent: ** Oct. 14, 2008

(54) LED LAMP ASSEMBLY

 (75) Inventors: Sai-Wen Wang, Shenzhen (CN);
 Shi-Song Zheng, Fullerton (CN); Li He, Shenzhen (CN)

(73) Assignee: Foxconn Technology Co., Ltd., Tu-Cheng, Taipei Hsien (TW)

(**) Term: 14 Years

D339,650 S * 9/1993 Vieyra D26/84 2006/0256557 A1 * 11/2006 Kanamori et al. 362/249

* cited by examiner

Primary Examiner—Clare E Heflin (74) Attorney, Agent, or Firm—Frank R. Niranjan

(57) **CLAIM**

The ornamental design for an LED lamp assembly, as shown

(21) Appl. No.: **29/305,471**

(22) Filed: Mar. 21, 2008

- (52) **U.S. Cl.** **D26/70**; D26/84
- (58) Field of Classification Search D26/67–71, D26/84; 362/145, 249, 252, 431, 432, 404, 362/405

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,963,218	A	*	6/1934	Wakefield 362/147
D186,547	S	*	11/1959	Burton D26/69
				Anthony D26/67
3,062,952	Α	*	11/1962	Harling 362/418
D203,351	S	*	12/1965	Bobrick D26/69
4,053,761	Α	*	10/1977	Brinkley 362/404

and described.

DESCRIPTION

FIG. 1 is a perspective view of an LED lamp assembly showing our new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a left-side, elevational view thereof;
FIG. 5 is a right-side, elevational view thereof;
FIG. 6 is a top plan view thereof;
FIG. 7 is a bottom plan view thereof; and,
FIG. 8 is a perspective view of the LED lamp assembly of FIG. 1 mounted on a supporting pod, wherein the supporting rod is shown in broken lines for illustration only and forms no part of the claimed design.

1 Claim, 8 Drawing Sheets



U.S. Patent US D578,696 S Oct. 14, 2008 Sheet 1 of 8





U.S. Patent Oct. 14, 2008 Sheet 2 of 8 US D578,696 S





U.S. Patent Oct. 14, 2008 Sheet 3 of 8 US D578,696 S



()

U.S. Patent Oct. 14, 2008 Sheet 4 of 8 US D578,696 S

Г



U.S. Patent Oct. 14, 2008 Sheet 5 of 8 US D578,696 S



U.S. Patent Oct. 14, 2008 Sheet 6 of 8 US D578,696 S



U.S. Patent Oct. 14, 2008 Sheet 7 of 8 US D578,696 S



U.S. Patent Oct. 14, 2008 Sheet 8 of 8 US D578,696 S



