



US00D578746S

(12) **United States Design Patent**  
**Usui**

(10) **Patent No.:** **US D578,746 S**  
(45) **Date of Patent:** **\*\* Oct. 21, 2008**

(54) **SHOE UPPER**

(75) Inventor: **Hiroataka Usui**, Tokyo (JP)

(73) Assignee: **Nike, Inc.**, Beaverton, OR (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/284,642**

(22) Filed: **Sep. 12, 2007**

(51) **LOC (8) Cl.** ..... **02-99**

(52) **U.S. Cl.** ..... **D2/969**

(58) **Field of Classification Search** ..... D2/902,  
D2/906-908, 943, 944, 969, 972-974, 945;  
36/45, 77 M, 77 R, 83, 113, 114, 126-131

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D224,728 S 9/1972 Franitza  
D238,626 S 2/1976 Senter  
D238,984 S 3/1976 Senter  
4,327,503 A \* 5/1982 Johnson ..... 36/129

(Continued)

**OTHER PUBLICATIONS**

Nike Footwear Catalog, Spring 1985 Athletic, p. 14 (American Eagle), published 1985.

Nike Footwear Catalog, Spring 1985 Athletic, p. 19 (Air Force I Lo), published 1985.

Nike Footwear Catalog, Footwear 1985, p. 19 (Communter), published Dec. 1984.

Nike Footwear Catalog, Fall 1986, p. 48 (Soft Court DLX), published Jan. 1986.

Nike Footwear Catalog, Fall 1986, p. 54 (Nike Motivator), published Jan. 1986.

Nike Footwear Catalog, Fall 1986, p. 54 (Air Conditioner), published Jan. 1986.

Nike Footwear Catalog, Fall 1986, p. 92 (EXW), published Jan. 1986.

*Primary Examiner*—Dominic Simone

(74) *Attorney, Agent, or Firm*—Banner & Witcoff, Ltd.

(57) **CLAIM**

The ornamental design for a shoe upper, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of a first embodiment of a shoe upper showing my new design;

FIG. 2 is a side view thereof;

FIG. 3 is a second side view thereof;

FIG. 4 is a front view thereof;

FIG. 5 is a rear view thereof;

FIG. 6 is a top view thereof;

FIG. 7 is a front perspective view of a second embodiment of a shoe upper showing my new design;

FIG. 8 is a rear perspective view thereof;

FIG. 9 is a side view thereof;

FIG. 10 is a second side view thereof;

FIG. 11 is a front view thereof;

FIG. 12 is a rear view thereof;

FIG. 13 is a top view thereof;

FIG. 14 is a front perspective view of a third embodiment of a shoe upper showing my new design;

FIG. 15 is a rear perspective view thereof;

FIG. 16 is a side view thereof;

FIG. 17 is a second side view thereof;



FIG. 18 is a front view thereof;

FIG. 19 is a rear view thereof; and,

FIG. 20 is a top view thereof.

The even broken line showing represents stitching. The uneven broken line showing of the bottom edge, the laces, the eyelets and the remainder of the shoe upper is for environmental purposes only and forms no part of the claimed design.

**1 Claim, 15 Drawing Sheets**



# US D578,746 S

Page 2

---

## U.S. PATENT DOCUMENTS

D272,771 S	2/1984	Muller Feigelstock		D468,891 S	1/2003	Truelsen	
D292,343 S *	10/1987	MacGregor et al. ....	D2/969	D485,422 S *	1/2004	Levine .....	D2/908
D293,970 S	2/1988	Brown et al.		D487,626 S	3/2004	Adams	
D309,055 S *	7/1990	Whatley .....	D2/969	D510,474 S *	10/2005	Henderson .....	D2/972
D319,718 S	9/1991	Del Vecchio, Jr. et al.		D538,024 S	3/2007	Belley et al.	
D325,287 S *	4/1992	Strauss .....	D2/902	D540,018 S	4/2007	Belley et al.	
D326,350 S *	5/1992	Silverman et al. ....	D2/900	D540,522 S	4/2007	Lotti	
D365,198 S	12/1995	Worthington		D564,209 S *	3/2008	McDowell .....	D2/972

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8






FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19






FIG. 20