



US00D578846S

(12) **United States Design Patent**
Coats

(10) **Patent No.:** **US D578,846 S**
(45) **Date of Patent:** **** Oct. 21, 2008**

(54) **MULTIFUNCTIONAL HAND TOOL
COMBINING A SHOVEL, HOE, AND JACK
HANDLE**

(76) Inventor: **Eldon M. Coats**, 3275 Cloverlawn Dr.,
Grants Pass, OR (US) 97527-7925

(**) Term: **14 Years**

(21) Appl. No.: **29/284,957**

(22) Filed: **Sep. 18, 2007**

(51) **LOC (8) Cl.** **08-01**

(52) **U.S. Cl.** **D8/10**

(58) **Field of Classification Search** D8/10,
D8/11; 294/49, 51; 7/116

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 1,032,376 A * 7/1912 Boivin 294/51
- 1,665,183 A * 4/1928 Urban 172/375
- D279,540 S * 7/1985 Rodrigues-Quiros D8/11
- D279,541 S * 7/1985 Rodrigues-Quiros et al. ... D8/11

(Continued)

Primary Examiner—Holly H Baynham

Assistant Examiner—Sheryl Lane

(74) *Attorney, Agent, or Firm*—James Albert Ward

(57) **CLAIM**

The ornamental design for a multifunctional hand tool combining a shovel, hoe, and jack handle, substantially as shown and described.

DESCRIPTION

The article in which the design is embodied is an ensemble comprising separable hoe, shovel and jack handle elements for use as a hand tool.

FIG. 1 is a perspective view of a multifunction hand tool showing my new design;

FIG. 2 is a front plan view of the embodiment of FIG. 1;

FIG. 3 is a side view of the embodiment of FIG. 1;

FIG. 4 is an rear view of the embodiment of FIG. 1;

FIG. 5 is a top view of the embodiment of FIG. 1;

FIG. 6 is a bottom view of the embodiment of FIG. 1;

FIG. 7 is a front plan view of a shovel element of the multifunction hand tool embodiment of FIG. 1;

FIG. 8 is a side view of the embodiment of FIG. 7;

FIG. 9 is an rear view of the embodiment of FIG. 7;

FIG. 10 is a top view of the embodiment of FIG. 7;

FIG. 11 is a bottom view of the embodiment of FIG. 7;

FIG. 12 is a front plan view of a hoe element of the multifunction hand tool embodiment of FIG. 1;

FIG. 13 is a side view of the embodiment of FIG. 12;

FIG. 14 is an rear view of the embodiment of FIG. 12;

FIG. 15 is a first end view of the embodiment of FIG. 12;

FIG. 16 is a second end view of the embodiment of FIG. 12;

FIG. 17 is a front plan view of a jack handle element of the multifunction hand tool embodiment of FIG. 1;

FIG. 18 is a side view of the embodiment of FIG. 17;


FIG. 19 is an rear view of the embodiment of FIG. 17;

FIG. 20 is a top view of the embodiment of FIG. 17; and,

FIG. 21 is a bottom view of the embodiment of FIG. 17.

FIGS. 7–12 are shown separated for ease of illustration. The broken line showing of the tool is included for the purpose of illustrating environment and forms no part of the claimed design.

1 Claim, 6 Drawing Sheets



US D578,846 S

Page 2

U.S. PATENT DOCUMENTS

D279,542 S *	7/1985	Rodrigues-Quiros	D8/11	6,357,067 B1	3/2002	Jones	
4,790,585 A *	12/1988	Vernon et al.	294/51	D462,244 S	9/2002	Woods	
4,979,623 A *	12/1990	Flanagan	209/419	6,533,043 B1 *	3/2003	Duyck et al.	172/371
5,507,051 A *	4/1996	Mazon	7/116	6,612,379 B1	9/2003	Timmons	
5,765,648 A	6/1998	Sheehan et al.		6,694,717 B1	2/2004	Dedrick	
6,289,540 B1	9/2001	Emonds		7,134,263 B2	11/2006	Tedesco	
				7,219,382 B2 *	5/2007	Johnson	7/116

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10



FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18



FIG. 19



FIG. 20



FIG. 21

