



US00D578944S

(12) **United States Design Patent**
Dolan et al.

(10) **Patent No.:** **US D578,944 S**
(45) **Date of Patent:** **** Oct. 21, 2008**

(54) **SIDE SKIRT FOR A TRUCK**

(75) Inventors: **Robert A. Dolan**, Gilbert, AZ (US);
David L. Simpson, Higley, AZ (US)

(73) Assignee: **U-Haul International, Inc.**, Phoenix,
AZ (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/253,436**

(22) Filed: **Feb. 7, 2006**

(51) **LOC (8) Cl.** **12-16**

(52) **U.S. Cl.** **D12/196**

(58) **Field of Classification Search** D12/196,
D12/190, 97, 181, 96; 296/56, 57.1, 183.1,
296/180.1–180.3; 280/727, 762, 768, 770

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,775,917 A 12/1973 Struben
(Continued)

FOREIGN PATENT DOCUMENTS

JP 2002019574 1/2002

Primary Examiner—Melody N Brown

(74) *Attorney, Agent, or Firm*—Richard E. Oney; Tiffany &
Bosco, PA

(57) **CLAIM**

We claim the ornamental design for a side skirt for a truck, as
shown and described.

DESCRIPTION

The truck skirt according to the inventive design is for use on
the side of a truck or moving van. As shown in each of the
three embodiments depicted, the design can include a forward
panel portion for mounting forward the rear wheel of the truck
or van and a rear panel portion for mounting rearward of the
rear wheel.

FIG. 1 is a perspective view of a side skirt for a truck showing
our new design, it being understood that the broken lines are
for illustrative purposes only and form no part of the claimed
design;

FIG. 2 is a front elevation view of the forward panel portion of
the truck skirt of FIG. 1;

FIG. 3 is a top plan view of the forward panel portion of the
truck skirt of FIG. 1;

FIG. 4 is a bottom plan view of the forward panel portion of
the truck skirt of FIG. 1;

FIG. 5 is a left side elevation view of the forward panel
portion of the truck skirt of FIG. 1;

FIG. 6 is a right side elevation view of the forward panel
portion of the truck skirt of FIG. 1;

FIG. 7 is a front elevation view of the rear panel portion of the
truck skirt of FIG. 1;

FIG. 8 is a top plan view of the rear panel portion of the truck
skirt of FIG. 1;

FIG. 9 is a bottom plan view of the rear panel portion of the
truck skirt of FIG. 1;

FIG. 10 is a left side elevation view of the rear panel portion
of the truck skirt of FIG. 1;

FIG. 11 is a right side elevation view of the rear panel portion
of the truck skirt of FIG. 1;

FIG. 12 is a perspective view of a side skirt for a truck
showing a second embodiment of the new design, it being
understood that the broken lines are for illustrative purposes
only and form no part of the claimed design;

FIG. 13 is a front elevation view of the forward panel portion
of the truck skirt of FIG. 12;

FIG. 14 is a top plan view of the forward panel portion of the
truck skirt of FIG. 12;


FIG. 15 is a bottom plan view of the forward panel portion of
the truck skirt of FIG. 12;

FIG. 16 is a left side elevation view of the forward panel
portion of the truck skirt of FIG. 12; and,

FIG. 17 is a right side elevation view of the forward panel
portion of the truck skirt of FIG. 12.

The elevation, plan and side views of the rear panel portion of
the truck skirt of FIG. 12 are the same as those of the embodi-
ment of FIG. 1, as shown in FIGS. 7–11.

1 Claim, 5 Drawing Sheets



| U.S. PATENT DOCUMENTS | | | | |
|-----------------------|-----|---------|------------------------|---------------------|
| 4,529,244 | A | 7/1985 | Zaydel | |
| 4,573,733 | A | 3/1986 | Zaydel | |
| D313,954 | S | 1/1991 | Fingerle | |
| D319,036 | S | 8/1991 | Fingerle | |
| D354,726 | S * | 1/1995 | Fitzgerald et al. | D12/181 |
| D388,024 | S * | 12/1997 | Clement | D12/97 |
| | | | | * cited by examiner |
| D420,622 | S * | 2/2000 | Hellhake et al. | D12/97 |
| D433,365 | S | 11/2000 | Beigel | |
| D478,854 | S * | 8/2003 | Platto et al. | D12/196 |
| 6,722,730 | B2 | 4/2004 | Lydan et al. | |
| D493,758 | S * | 8/2004 | Platto et al. | D12/196 |
| D495,645 | S * | 9/2004 | Hall et al. | D12/196 |
| D499,679 | S * | 12/2004 | Perfetti et al. | D12/196 |




FIG. 1



FIG. 3




FIG. 5

FIG. 2

FIG. 6



FIG. 4



FIG. 8



FIG. 10




FIG. 7



FIG. 11



FIG. 9




FIG. 12



FIG. 14




FIG. 16

FIG. 13

FIG. 17



FIG. 15