



US00D578956S

(12) **United States Design Patent**  
**Dixon et al.**

(10) **Patent No.:** **US D578,956 S**  
(45) **Date of Patent:** **\*\* Oct. 21, 2008**

(54) **TIRE**  
(75) Inventors: **Max Harold Dixon**, Kent, OH (US);  
**Mark Leonard Bonko**, Uniontown, OH  
(US); **Karl Eric Sundkvist**, Akron, OH  
(US)

(73) Assignee: **The Goodyear Tire & Rubber  
Company**, Akron, OH (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/317,328**

(22) Filed: **Apr. 28, 2008**

(51) **LOC (8) Cl.** ..... **12-15**

(52) **U.S. Cl.** ..... **D12/579; D12/605**

(58) **Field of Classification Search** ..... D12/535-536,  
D12/544, 564-565, 571, 585, 579, 597, 600-601,  
D12/900-901, 605, 512; 152/209.1, 209.8-209.13,  
152/209.28, 455, 209.18, 209.25  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D262,364 S	12/1981	Hinkel .....	D12/147
D269,336 S	6/1983	Yurkovich .....	D12/146
D320,966 S	10/1991	Miller et al. ....	D12/147
D325,012 S	3/1992	Covert et al. ....	D12/147
D325,014 S	3/1992	Galante et al. ....	D12/147
D326,075 S	5/1992	Covert et al. ....	D12/147
D329,626 S	9/1992	Goergen et al. ....	D12/146
D365,791 S	1/1996	Brown et al. ....	D12/146
D379,334 S	5/1997	Rohweder et al. ....	D12/146
D379,445 S	5/1997	Rohweder et al. ....	D12/147
D379,785 S	6/1997	Galante et al. ....	D12/146
D380,716 S	7/1997	Brown et al. ....	D12/147
D388,037 S	12/1997	Rohweder et al. ....	D12/147
D429,479 S	8/2000	Fierro et al. ....	D12/147
D430,834 S *	9/2000	Allison .....	D12/579
D431,801 S	10/2000	Poling .....	D12/151
D437,266 S	2/2001	Poling et al. ....	D12/146
D444,426 S	7/2001	Marazzi et al. ....	D12/146
D504,657 S	5/2005	Allen et al. ....	D12/579
D516,012 S	2/2006	Miller et al. ....	D12/579
D516,013 S	2/2006	Miller et al. ....	D12/579

D516,999 S	3/2006	Miller et al. ....	D12/579
D517,000 S *	3/2006	Allen et al. ....	D12/579
D544,830 S *	6/2007	Umstot et al. ....	D12/579
D548,172 S	8/2007	Dixon et al. ....	D12/579
D548,173 S *	8/2007	Herbeuval et al. ....	D12/579
D556,124 S *	11/2007	Thum et al. ....	D12/579
D556,674 S *	12/2007	Missik-Gaffney et al. ..	D12/579
D558,664 S *	1/2008	Herbeuval et al. ....	D12/579
D567,750 S *	4/2008	Dixon .....	D12/579

\* cited by examiner

*Primary Examiner*—Stacia Cadmus

(74) *Attorney, Agent, or Firm*—Richard B. O’Planick

(57) **CLAIM**

The ornamental design for a tire, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a tire showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a right side elevational view thereof; the opposite side elevational view being identical thereto;


FIG. 4 is an enlarged fragmentary front elevational view thereof;

FIG. 5 is a perspective view of a second embodiment of a tire showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread and that the opposite side perspective view is identical thereto; and,

FIG. 6 is a front elevational view of a second embodiment, it being understood that an enlarged fragmentary view thereof would be substantially identical to that shown in FIG. 4, with the exception of the inclusion of the sidewall in solid lines.

In the drawings the broken lines defining the sidewall, inner bead and the peripheral boundary between the tire tread and the sidewall in FIGS. 1 through 4 are for illustrative purposes only and form no part of the claimed design.

**1 Claim, 6 Drawing Sheets**






FIG-1




FIG-2




FIG-3




FIG-4




FIG-5




FIG-6