



US00D578970S

(12) **United States Design Patent**
Yasuoka et al.

(10) **Patent No.:** **US D578,970 S**
(45) **Date of Patent:** **** Oct. 21, 2008**

(54) **LIGHT EMITTING DIODE**

(75) Inventors: **Tsuyoshi Yasuoka**, Anan (JP); **Keiji Funamoto**, Tokushima (JP)

(73) Assignee: **Nichia Corporation**, Anan-shi (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/318,447**

(22) Filed: **May 20, 2008**

Related U.S. Application Data

(62) Division of application No. 29/273,596, filed on Mar. 9, 2007.

(30) **Foreign Application Priority Data**

Sep. 15, 2006	(JP)		2006-024861
Sep. 15, 2006	(JP)		2006-024884
Sep. 15, 2006	(JP)		2006-024885
Sep. 15, 2006	(JP)		2006-024886
Sep. 15, 2006	(JP)		2006-024887
Sep. 15, 2006	(JP)		2006-024889
Sep. 15, 2006	(JP)		2006-024890
Sep. 15, 2006	(JP)		2006-024891

(51) **LOC (8) Cl.** **13-03**

(52) **U.S. Cl.** **D13/180**

(58) **Field of Classification Search** D13/180;
D26/2; 257/79, 80, 81, 88, 89, 95, 98, 99,
257/100; 313/483, 498, 500; 362/555, 800
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

6,429,464 B1 * 8/2002 Lin 257/99
Primary Examiner—Selina Sikder
(74) *Attorney, Agent, or Firm*—Global IP Counselors, LLP

(57) **CLAIM**

The ornamental design for a light emitting diode, as shown and described.

DESCRIPTION

FIG. 1 is a front side perspective view of a light emitting diode in accordance with a first embodiment of our new design;

FIG. 2 is a rear side perspective view of a light emitting diode in accordance with the first embodiment of our new design;

FIG. 3 is a top plan view of the light emitting diode in accordance with the first embodiment of our new design;

FIG. 4 is a bottom plan view of the light emitting diode in accordance with the first embodiment of our new design;

FIG. 5 is a front elevational view of the light emitting diode in accordance with the first embodiment of our new design;

FIG. 6 is a rear elevational view of the light emitting diode in accordance with the first embodiment of our new design;

FIG. 7 is a right side end elevational view of the light emitting diode in accordance with the first embodiment of our new design;

FIG. 8 is a left side end elevational view of the light emitting diode in accordance with the first embodiment of our new design;

FIG. 9 is a front side perspective view of a light emitting diode in accordance with a second embodiment of our new design;

FIG. 10 is a rear side perspective view of a light emitting diode in accordance with the second embodiment of our new design;

FIG. 11 is a top plan view of the light emitting diode in accordance with the second embodiment of our new design;

FIG. 12 is a bottom plan view of the light emitting diode in accordance with the second embodiment of our new design;

FIG. 13 is a front elevational view of the light emitting diode in accordance with the second embodiment of our new design;


FIG. 14 is a rear elevational view of the light emitting diode in accordance with the second embodiment of our new design;

FIG. 15 is a right side end elevational view of the light emitting diode in accordance with the second embodiment of our new design; and,

FIG. 16 is a left side end elevational view of the light emitting diode in accordance with the second embodiment of our new design.

The broken line showing of environment (the remaining structure of the light emitting diode) in the FIGS. 1–16 is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 6 Drawing Sheets



U.S. PATENT DOCUMENTS							
D489,692	S	5/2004	Ishida	2004/0041222	A1 *	3/2004	Loh 257/433
D495,668	S	9/2004	Kim et al.	2004/0126913	A1 *	7/2004	Loh 438/26
D500,292	S	12/2004	Ishida	2004/0201987	A1 *	10/2004	Omata 362/230
D500,294	S	12/2004	Ishida	2006/0001361	A1 *	1/2006	Imai et al. 313/498
D503,690	S *	4/2005	Kamada D13/180	2006/0023451	A1	2/2006	Han et al.
6,953,952	B2	10/2005	Asakawa	2006/0054914	A1 *	3/2006	Hsian Yi 257/100
D512,693	S	12/2005	Kim et al.	2006/0267036	A1 *	11/2006	Lee et al. 257/98
D524,260	S *	7/2006	Ishizaka et al. D13/180	2006/0273338	A1 *	12/2006	Lee et al. 257/99
7,078,728	B2 *	7/2006	Ishii et al. 257/79	2006/0284203	A1	12/2006	Han et al.
D528,998	S	9/2006	Song et al.	2007/0029564	A1	2/2007	Han et al.
7,153,000	B2 *	12/2006	Park et al. 362/268	2007/0063321	A1 *	3/2007	Han et al. 257/675
				2007/0114559	A1 *	5/2007	Sayers et al. 257/100
				* cited by examiner			

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5





FIG. 6






FIG. 7




FIG. 8

FIG. 9




FIG. 10




FIG. 11




FIG. 12





FIG. 13




FIG. 14




FIG. 15




FIG. 16