



US00D579209S

(12) **United States Design Patent**  
**Krause et al.**

(10) **Patent No.:** **US D579,209 S**

(45) **Date of Patent:** **\*\* Oct. 28, 2008**

(54) **FOAM PAD RECONDITIONING BRUSH**

(75) Inventors: **Aaron C. Krause**, Cherry Hill, NJ (US);  
**Saul Denenberg**, Blue Bell, PA (US)

(73) Assignee: **Dedication to Detail, Inc.**, Folcroft, PA (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/293,835**

(22) Filed: **Dec. 14, 2007**

(51) **LOC (8) Cl.** ..... **04-01**

(52) **U.S. Cl.** ..... **D4/132**

(58) **Field of Classification Search** ..... D4/132-134,  
D4/138; D8/97, 107; 15/143.1, 159.1, 160,  
15/186, 187; 16/110.1, 430, 431, DIG. 12,  
16/DIG. 18, DIG. 19, 902

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- D17,015 S \* 12/1886 Northall ..... D4/134
- D54,815 S \* 4/1920 Campbell ..... D4/132
- D70,665 S \* 7/1926 Forsberg ..... D8/97
- 2,063,338 A \* 12/1936 Pritchard et al. .... 451/518

- D165,862 S \* 2/1952 Partridge ..... D4/134
- D227,827 S \* 7/1973 Lindbo ..... D4/132
- D295,464 S \* 5/1988 Stephens ..... D4/134
- 5,070,570 A 12/1991 Sabo
- D417,381 S \* 12/1999 Bhatti ..... D8/107
- 6,131,231 A \* 10/2000 Huang ..... 15/105

\* cited by examiner

*Primary Examiner*—Cathron Brooks

*Assistant Examiner*—Lavone D Tabor

(74) *Attorney, Agent, or Firm*—Norman E. Lehrer

(57) **CLAIM**

The ornamental design for a “foam ppad reconditioning brush”, as shown and described.

**DESCRIPTION**

FIG. 1 is a front elevational view of a “foam pad reconditioning brush” showing our new design;

FIG. 2 is a top plan view thereof;



FIG. 3 is a bottom plan view thereof;

FIG. 4 is a right side elevational view thereof;


FIG. 5 is a left side elevational view thereof; and,

FIG. 6 is a perspective view thereof.


**1 Claim, 2 Drawing Sheets**




*Fig. 1*




*Fig. 2*




*Fig. 3*



*Fig. 5*



*Fig. 4*



*Fig. 6*

