

(12) United States Design Patent (10) Patent No.: US D579,362 S Stowers et al. (45) Date of Patent: ** Oct. 28, 2008

- (54) COMBINED VALVE CAP REMOVER AND TIRE PRESSURE GAUGE
- (75) Inventors: David C. Stowers, Morristown, NJ (US); In-Young Jang, Ridgefield, NJ (US)
- (73) Assignee: Measurement Limited
- (**) Term: 14 Years
- (21) Appl. No.: **29/292,788**

Primary Examiner—Antoine D Davis (74) Attorney, Agent, or Firm—Howard IP Law Group, PC

(57) **CLAIM**

The ornamental design for a combined valve cap remover and tire pressure gauge, as shown and described.

DESCRIPTION

- (22) Filed: Oct. 26, 2007

(56) **References Cited**

U.S. PATENT DOCUMENTS

D047 400 C	2/1070	т 1
D247,429 S	3/1978	
D259,863 S	7/1981	Eller
D280,215 S	8/1985	Huang
D286,270 S	10/1986	Huang
D289,424 S	4/1987	Huang
D294,229 S	2/1988	Bonazzi
4,748,845 A	6/1988	Rocco et al.
4,768,460 A	* 9/1988	Soon-Fu 116/272
4,782,448 A	11/1988	Milstein
D300,729 S	4/1989	Skaggs et al.
4,827,764 A	5/1989	Hwang
4,845,980 A	7/1989	Weng
4,916,944 A	4/1990	Ho-Chuan
4,924,697 A	5/1990	Hunt et al.
D314,159 S	1/1991	O'Connor
4,998,438 A	3/1991	Martin
D316,980 S	5/1991	Brinker et al.
D317,880 S	7/1991	Meehan
5,033,296 A	7/1991	Huang
D320,170 S	9/1991	Hwang
D320,756 S	10/1991	Ohno et al.
5,117,684 A	6/1992	Hwang
D331,371 S	12/1992	Weng
-		-

FIG. 1 is a perspective view of a combined valve cap remover and tire pressure gauge showing our new design; FIG. 2 is a top elevational view thereof; FIG. 3 is a bottom elevational view thereof; FIG. 4 is a left side elevational view thereof; FIG. 5 is a right side elevational view thereof; FIG. 6 is a rear elevational view thereof; FIG. 7 is a front elevational view thereof; FIG. 8 is a top elevational view of an alternative embodiment of a combined valve cap remover and tire pressure gauge; FIG. 9 is a bottom elevational view of the combined valve cap remover and tire pressure gauge of FIG. 8; FIG. 10 is a left side elevational view of the combined valve cap remover and tire pressure gauge of FIG. 8; FIG. 11 is a right side elevational view of the combined valve cap remover and tire pressure gauge of FIG. 8; FIG. 12 is a rear elevational view of the combined valve cap remover and tire pressure gauge of FIG. 8; and, FIG. 13 is a front elevational view of the combined valve cap remover and tire pressure gauge of FIG. 8.

(Continued)

The matter shown in broken lines is shown for illustrative purposes only, and forms no part of the claimed design. The perspective view of the alternative embodiment of a combined valve cap remover and tire pressure gauge is similar to the respective perspective view of the illustrated exemplary embodiment except for the addition of the matter shown in broken lines and the adjacent sleeve.

1 Claim, 11 Drawing Sheets





US D579,362 S Page 2

U.S. PATENT DOCUMENTS

			D402,027 S
D335,465 S	5/1993	Garrison, III	D469,706 S
D336,735 S	6/1993	Nulsen	D472,172 S
D337,730 S	7/1993	Rosenfeld	D474,124 S
D338,839 S	8/1993	Akins	D488,082 S
D349,659 S	8/1994	Huang	D491,480 S
D352,252 S	11/1994	Huang	D492,608 S
D361,950 S	9/1995	Mascio	D496,602 S
D366,845 S	2/1996	Handfield et al.	D498,154 S
D366,846 S	2/1996	Handfield et al.	D501,146 S
D367,432 S	2/1996	Solloway	D501,417 S
5,640,776 A	6/1997	Krauss	D501,418 S
D390,140 S		Germanton	D502,214 S
D395,835 S	7/1998	Okuyama et al.	D502,656 S
D402,997 S	12/1998	Campbell et al.	D502,734 S
D409,509 S		Petrucelli et al.	D502,735 S
D409,931 S	5/1999	Petrucelli et al.	D503,898 S
D419,085 S	1/2000	Prus	D504,630 S
D420,299 S	2/2000	Jahn	D505,088 S
D427,092 S	6/2000	Wu	D505,871 S
D427,093 S	6/2000	Wu	D505,872 S
D440,893 S	4/2001	Van Zeyl	D506,154 S
D440,894 S	4/2001	Van Zeyl	6,918,291 B2*
D440,895 S		Van Zeyl	D526,229 S
D441,674 S	5/2001	Van Zeyl	D528,934 S
D447,970 S	9/2001	Cappiello et al.	D534,092 S *
D450,257 S	11/2001	Bressler et al.	7,225,667 B2*
D455,361 S		Super et al.	7,251,992 B2*
D455,666 S	4/2002	Cappiello et al.	D553,031 S *
D458,857 S	6/2002	Tseng	D558,623 S *
D459,257 S	6/2002	Petrucelli	
D459,668 S	7/2002	Petrucelli	* cited by examiner

D460,704	S	7/2002	Peele
D462,627	S	9/2002	Petrucelli
D469,706	S	2/2003	Huang
D472,172	S	3/2003	Fujioka et al.
D474,124	S	5/2003	Krieger et al.
D488,082	S	4/2004	Durr et al.
D491,480	S	6/2004	Huang et al.
D492,608	S	7/2004	Fujioka
D496,602	S	9/2004	Shipman
D498,154	S	11/2004	Wang
D501,146	S	1/2005	Durr et al.
D501,417	S	2/2005	Tseng
D501,418	S	2/2005	Wang
D502 214	C	2/2005	Darris at al

S	2/2005	Davis et al.
S	3/2005	Fujioka
S	3/2005	Davis et al.
S	3/2005	Davis et al.
S	4/2005	Durr et al.
S	5/2005	Wang
S	5/2005	Durr et al.
S	6/2005	Little et al.
S	6/2005	Durr et al.
S	6/2005	Cowan et al.
B2 *	7/2005	Durr et al 73/146.2
S	8/2006	Stowers et al.
S	9/2006	Stowers et al.
S *	12/2006	Kuskovsky D10/86
B2 *	6/2007	Chen 73/146
B2 *	8/2007	Petrucelli 73/146
		Yuen D10/86
S *	1/2008	Yuen D10/86
	S S S S S S S S S S S S S S S S S S S	S $3/2005$ S $3/2005$ S $3/2005$ S $4/2005$ S $5/2005$ S $5/2005$ S $6/2005$ S $6/2005$ S $6/2005$ S $6/2005$ S $8/2005$ S $8/2006$ S $9/2006$ S $8/2007$ B2 * $6/2007$ B2 * $8/2007$ S $8/2007$ S $8/2007$

U.S. Patent Oct. 28, 2008 Sheet 1 of 11 US D579,362 S



U.S. Patent Oct. 28, 2008 Sheet 2 of 11 US D579,362 S





U.S. Patent Oct. 28, 2008 Sheet 3 of 11 US D579,362 S







U.S. Patent Oct. 28, 2008 Sheet 4 of 11 US D579,362 S









U.S. Patent Oct. 28, 2008 Sheet 5 of 11 US D579,362 S







U.S. Patent Oct. 28, 2008 Sheet 6 of 11 US D579, 362 S









U.S. Patent Oct. 28, 2008 Sheet 7 of 11 US D579,362 S







U.S. Patent Oct. 28, 2008 Sheet 8 of 11 US D579,362 S







U.S. Patent Oct. 28, 2008 Sheet 9 of 11 US D579,362 S





U.S. Patent Oct. 28, 2008 Sheet 10 of 11 US D579,362 S





U.S. Patent Oct. 28, 2008 Sheet 11 of 11 US D579,362 S



FIG. 12



