



US00D579726S

(12) **United States Design Patent**
Eisenberg

(10) **Patent No.:** **US D579,726 S**

(45) **Date of Patent:** **** Nov. 4, 2008**

(54) **CONTAINER**

(75) Inventor: **Regina Eisenberg**, Cleveland, OH (US)

(73) Assignee: **Maxel Industries LLC**, Pepper Pike, OH (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/299,541**

(22) Filed: **Dec. 28, 2007**

| | | | | |
|----------------|---------|------------------|-------|----------|
| 6,450,355 B1 * | 9/2002 | Lowry | | 220/4.26 |
| D506,359 S * | 6/2005 | Zettle et al. | | D7/629 |
| 6,991,121 B1 | 1/2006 | Kipperman et al. | | |
| D516,915 S * | 3/2006 | Gaines | | D9/552 |
| 7,036,975 B2 | 5/2006 | Renz | | |
| D530,218 S * | 10/2006 | Burkemper | | D7/615 |
| D530,572 S * | 10/2006 | Daams | | D7/615 |

* cited by examiner

Primary Examiner—Terry A Wallace

(74) *Attorney, Agent, or Firm*—Benesch, Friedlander, Coplan & Aronoff LLP

Related U.S. Application Data

(63) Continuation of application No. 11/852,783, filed on Sep. 10, 2007.

(51) **LOC (8) Cl.** **07-01**

(52) **U.S. Cl.** **D7/614**

(58) **Field of Classification Search** D7/612–615, D7/601, 629; D10/46.3; 220/4.01, 4.26, 220/4.27; 73/726–729; 215/365; D9/500–508, D9/547, 551, 552, 559, 572–575; 206/505, 206/508, 509, 515, 519, 520

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | |
|---------------|---------|-------------------|-------|-----------|
| 3,578,467 A * | 5/1971 | Huber | | 220/580 |
| D276,400 S | 11/1984 | Daenen et al. | | |
| 4,583,661 A * | 4/1986 | Clover, Jr. | | 222/142.9 |
| D293,608 S * | 1/1988 | Fitzgerald et al. | | D7/615 |
| D310,463 S * | 9/1990 | Laib | | D7/614 |
| D369,755 S | 5/1996 | Burcham et al. | | |
| 5,542,206 A * | 8/1996 | Lisch | | 220/4.27 |
| 5,570,816 A | 11/1996 | LaBarbera, Jr. | | |
| 5,671,856 A * | 9/1997 | Lisch | | 220/4.27 |
| 5,682,931 A | 11/1997 | Mouchmouchian | | |
| D387,171 S | 12/1997 | Johnson | | |
| D401,115 S * | 11/1998 | Huang | | D7/589 |
| 5,887,740 A * | 3/1999 | Hong | | 220/4.27 |
| 5,947,336 A | 9/1999 | Thompson | | |

(57) **CLAIM**

The ornamental design for a container, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a container showing the new design;

FIGS. 2–8 are top perspective views of modifications of the container of FIG. 1;

FIG. 9 is a top view of the new design, it being understood that the size and proportions of the top view of FIGS. 2–8 is identical hereto;

FIG. 10 is a front view of the new design of FIG. 1;


FIGS. 11–17 are front views of the new design of FIGS. 2–8, respectively;

FIGS. 18–21 are back views of the new design of FIGS. 1–4 and FIGS. 5–8, respectively; and,

FIG. 22 is a bottom view of the new design, it being understood that the size and proportions of the bottom view of FIGS. 2–8 is identical hereto.

The components of the container shown in broken lines are for illustrative purposes only and form no part of the claimed design.

1 Claim, 22 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14




Fig. 15




Fig. 16




Fig. 17




Fig. 18




Fig. 19




Fig. 20




Fig. 21




Fig. 22