



US00D579794S

(12) **United States Design Patent**
Stekelenburg

(10) **Patent No.:** **US D579,794 S**

(45) **Date of Patent:** **** Nov. 4, 2008**

(54) **ADJUSTABLE TIMER HOUSING**

(76) **Inventor:** **Albert Stekelenburg**, 9th Fl., 102
Kuang-Fu S. Rd., Taipei (TW)

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/290,795**

(22) **Filed:** **Jan. 15, 2008**

(51) **LOC (8) Cl.** **10-03**

(52) **U.S. Cl.** **D10/40**

(58) **Field of Classification Search** D10/40;
368/107-123; D13/138.1, 137.1, 137.3,
D13/139.8, 139.6, 162, 162.1; 307/141,
307/141.4; 200/33 R, 38 R, 38 D, 38 A,
200/38 F

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,588,391	A *	6/1971	Banathy	200/6 BB
3,728,500	A *	4/1973	Ingram	200/38 FB
3,925,629	A *	12/1975	Albinger, Jr.	200/38 R
D241,524	S *	9/1976	Haggstrom	D10/40
3,997,742	A *	12/1976	Marquis	200/38 FB
D246,159	S *	10/1977	Podall	D10/40
4,297,546	A *	10/1981	Koch	200/38 R
4,311,886	A *	1/1982	Rulseh	200/38 R
4,712,019	A *	12/1987	Nilssen	307/141
D352,667	S *	11/1994	Chen	D10/40
D405,376	S *	2/1999	Stekelenburg	D10/40
D449,233	S *	10/2001	Stekelenburg	D10/40
D449,541	S *	10/2001	Stekelenburg	D10/40
6,356,425	B1 *	3/2002	Jung	361/93.8

D458,547	S *	6/2002	Stekelenburg	D10/40
6,519,208	B2 *	2/2003	DeVries	368/10
6,625,089	B2 *	9/2003	Stekelenburg	368/107
6,826,127	B2 *	11/2004	Stekelenburg	368/107
D513,999	S *	1/2006	Echito et al.	D10/40
D514,000	S *	1/2006	Echito et al.	D10/40
D525,540	S *	7/2006	Stekelenburg	D10/40
D534,086	S *	12/2006	Stekelenburg	D10/40
D534,439	S *	1/2007	Stekelenburg	D10/40
D534,870	S *	1/2007	Metschen et al.	D13/162
D565,434	S *	4/2008	Stekelenburg	D10/40
D567,119	S *	4/2008	Ni et al.	D10/40
D569,743	S *	5/2008	Lidong et al.	D10/40

* cited by examiner

Primary Examiner—Lucy Lieberman

(57) **CLAIM**

The ornamental design for an adjustable timer housing, as shown and described.

DESCRIPTION

FIG. 1 is a top view of an adjustable timer housing showing my new design;

FIG. 2 is a front view thereof;

FIG. 3 is a right side elevational view thereof;



FIG. 4 is a bottom view thereof;

FIG. 5 is a rear elevation thereof; and,

FIG. 6 is a left side elevation thereof.

The rectangular display in the middle of the front of the timer in FIG. 2 is flat and flush with the adjacent portions of the timer housing.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6