



US00D579863S

(12) **United States Design Patent**
Harvey et al.

(10) **Patent No.:** **US D579,863 S**
(45) **Date of Patent:** **** Nov. 4, 2008**

(54) **TIRE**

(75) Inventors: **Delwyn Lovell Harvey**, North Canton, OH (US); **Daniel Christian Shavers**, Canton, OH (US); **Brian David Digman**, Cuyahoga Falls, OH (US); **Karl Eric Sundkvist**, Akron, OH (US)

(73) Assignee: **The Goodyear Tire & Rubber Company**, Akron, OH (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/304,077**

(22) Filed: **Feb. 25, 2008**

(51) **LOC (8) Cl.** **12-15**

(52) **U.S. Cl.** **D12/553**

(58) **Field of Classification Search** D12/533-534,
D12/537, 546, 551-556, 563-565, 567, 579-581,
D12/583, 586-59; 152/209.1, 209.9-209.15,
152/209.25, 209.28

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D358,793 S	5/1995	Himuro et al.		D12/151
D397,650 S	9/1998	Himuro		D12/147
5,885,384 A	3/1999	Himuro		152/209 R
D416,836 S	11/1999	Himuro		D12/147
D432,057 S	10/2000	Himuro		D12/146
D491,516 S	6/2004	Miller et al.		D12/553
D491,883 S	6/2004	Landers et al.		D12/553
D501,180 S	1/2005	Landers et al.		D12/563
D504,105 S	4/2005	Landers et al.		D12/553
D512,015 S *	11/2005	Landers et al.		D12/552
D512,958 S	12/2005	Allison et al.		D12/552
D514,059 S	1/2006	Dixon		D12/552
D534,857 S	1/2007	Poling et al.		D12/553

D534,859 S *	1/2007	Landers et al.		D12/553
D535,247 S *	1/2007	Shondel et al.		D12/553
D535,248 S *	1/2007	Ashton et al.		D12/553
D544,827 S *	6/2007	Lee		D12/553
2002/0062892 A1	5/2002	Himuro		152/209.18

* cited by examiner

Primary Examiner—Stacia Cadmus

(74) *Attorney, Agent, or Firm*—Richard B. O'Planick

(57) **CLAIM**

The ornamental design for a tire, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a right side elevational view thereof; the other side being a mirror image thereof;



FIG. 4 is an enlarged fragmentary front elevational view thereof;

FIG. 5 is a perspective view of a second embodiment of a tire showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread and that the opposite side perspective view is a mirror image thereof; and,

FIG. 6 is a front elevational view of a second embodiment, it being understood that an enlarged fragmentary view thereof would be substantially identical to that shown in FIG. 4, with the exception of the inclusion of the sidewall in solid lines.

In the drawings the broken lines defining the sidewall, inner bead and the peripheral boundary between the tire tread and the sidewall in FIGS. 1 through 4 are for illustrative purposes only and form no part of the claimed design.

1 Claim, 6 Drawing Sheets






FIG-1




FIG-2




FIG-3




FIG-4




FIG-5




FIG-6