

US00D579870S

(12) **United States Design Patent**
Dunbar et al.

(10) **Patent No.:** **US D579,870 S**
(45) **Date of Patent:** **** Nov. 4, 2008**

(54) **PORTABLE BACKUP POWER DEVICE**

FOREIGN PATENT DOCUMENTS

(75) Inventors: **Grant Iverson Dunbar**, North Vancouver (CA); **Robert Bruce Prior**, Burnaby (CA); **Peter Tai Kwong Cheung**, Richmond (CA)

CA 110407 10/2005
CA 110406 2/2006

(73) Assignee: **Xantrex International**, St. Michael (BB)

OTHER PUBLICATIONS

(**) Term: **14 Years**

(21) Appl. No.: **29/287,126**

(22) Filed: **Jun. 29, 2007**

U.S. Appl. No. 29/287,107, filed Jun. 27, 2007, Dunbar.
Xpower, Xantrex, "New Powerpack Segment . . . Home Back Up Power", 1page of slideshow, Jun. 29, 2006.
"Electromate Portable Power Use Anytime Anywhere", Vector Advertisement, Aftermarket Business, Nov. 2004, vol. 114, No. 11 p. 139.
"Introducing Jump 'n Charge", Vector Manufacturing, Ltd. 2004, 1 page.
Form3, Xantrex Technology Inc., Power Pack Concepts, 02.11.13; 3 sheets of drawings.
"Xpower Powerpack 200 Plus", Product Brochure, Xantrex Technology Inc., 2004, 2 pages.

(51) **LOC (8) Cl.** **13-01**

(52) **U.S. Cl.** **D13/116; D13/110**

(58) **Field of Classification Search** D13/110,
D13/116, 123, 124, 137.2, 139.1, 139.8, 184,
D13/199; 174/53, 58; 307/85, 150, 151;
363/15, 95, 103, 146

See application file for complete search history.

* cited by examiner

Primary Examiner—Prabhakar Deshmukh
Assistant Examiner—Derrick Holland

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,874,828 A * 8/1932 Suss 337/197
2,518,812 A * 8/1950 Oswald 340/656
D285,788 S * 9/1986 Rapp et al. D13/139.8
D297,829 S * 9/1988 Burgher et al. D13/110
D334,560 S 4/1993 Wilson
5,220,269 A * 6/1993 Chen et al. 320/112
D357,460 S * 4/1995 Lovett D13/139.1
D386,148 S 11/1997 Katooka et al.
D407,065 S 3/1999 Chang
D423,451 S 4/2000 Heckenast
D432,985 S 10/2000 Wan
D436,918 S * 1/2001 Matsuda D13/110
6,215,273 B1 4/2001 Shy
D444,125 S 6/2001 Shy

(57) **CLAIM**

The ornamental design for a portable backup power device, as shown and described.


DESCRIPTION

FIG. 1 is a perspective view of a portable backup power device showing our new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a right side view thereof;
FIG. 4 is a left side view thereof;
FIG. 5 is a top plan view thereof;
FIG. 6 is bottom plan view thereof; and,
FIG. 7 is a rear view thereof.

The broken lines showing are for illustrative purposes and form no part of the claimed design.

(Continued)

1 Claim, 5 Drawing Sheets



US D579,870 S

Page 2

U.S. PATENT DOCUMENTS

D456,771 S	*	5/2002	Bloemen	D13/110	D493,421 S	7/2004	Krieger
D464,619 S		10/2002	Krieger			D493,770 S	8/2004	Krieger
D464,935 S		10/2002	Krieger			D503,148 S	3/2005	Krieger
D466,077 S		11/2002	Wang			D503,378 S	3/2005	Hussaini et al.
D474,738 S		5/2003	Ishii et al.			D506,723 S	6/2005	Krieger
D483,326 S		12/2003	Krieger			D506,724 S	6/2005	Hriscu
D486,446 S		2/2004	Hriscu			D506,975 S	7/2005	Krieger
D491,139 S		6/2004	Krieger			D511,491 S	11/2005	Hriscu et al.
D491,140 S		6/2004	Krieger			D530,271 S	10/2006	Hriscu
D491,141 S		6/2004	Krieger			D535,251 S	1/2007	Kwong
						2002/0158603 A1	10/2002	Chang

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7