

US00D580065S

(12) **United States Design Patent**
Lin et al.

(10) **Patent No.:** **US D580,065 S**
(45) **Date of Patent:** **** Nov. 4, 2008**

(54) **ELBOW SUPPORT**

(75) Inventors: **Eve Lin**, Tainan Hsien (TW); **Eric D. Bybee**, Merrimac, WI (US); **Brett Mueller**, Middleton, WI (US)

(73) Assignee: **Mueller Sports Medicine, Inc.**, Prairie Du Sac, WI (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/304,357**

(22) Filed: **Feb. 29, 2008**

(51) **LOC (8) Cl.** **24-01**

(52) **U.S. Cl.** **D24/190**

(58) **Field of Classification Search** D24/188-190;
602/5-7, 20, 26, 60-65, 75-76, 901; 128/878-881,
128/892; D2/610; 2/16, 22, 24, 239; D29/121.1
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D14,580 S *	1/1884	Jennings	D2/610
663,749 A *	12/1900	Gorse	602/60
814,795 A *	3/1906	Myers	602/6
3,322,118 A *	5/1967	Sotherlin	128/892
4,632,106 A *	12/1986	Gamm	602/63
5,168,577 A *	12/1992	Detty	2/16
D349,387 S *	8/1994	Crabbe	D2/610
5,367,708 A *	11/1994	Fujimoto	2/22
5,419,161 A *	5/1995	Bodenschatz et al.	66/172 E
5,474,524 A *	12/1995	Carey	602/26
5,642,525 A *	7/1997	Ketola	2/16
D393,138 S *	4/1998	Frey	D2/610

5,925,010 A *	7/1999	Caprio, Jr.	602/62
6,063,048 A *	5/2000	Bodenschatz et al.	602/62
6,110,135 A *	8/2000	Madow et al.	602/20
6,129,695 A *	10/2000	Peters et al.	602/62
6,224,564 B1 *	5/2001	Korobow	602/62
D454,198 S *	3/2002	Lamping et al.	D24/190
6,405,731 B1 *	6/2002	Chiang	128/878
D460,824 S *	7/2002	Ames	D24/190
6,592,539 B1 *	7/2003	Einarsson et al.	602/62
6,776,769 B2 *	8/2004	Smith	602/61
6,875,188 B2 *	4/2005	Chiang	602/7
7,090,651 B2 *	8/2006	Chiang et al.	602/5

* cited by examiner

Primary Examiner—Robert M Spear

Assistant Examiner—Susan E Krakower

(74) *Attorney, Agent, or Firm*—Rick L. Abegglen

(57) **CLAIM**

We claim the ornamental design for an elbow support, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of an elbow support showing our new design;



FIG. 2 is a right side elevational view thereof;

FIG. 3 is a left side elevational view thereof; and,

FIG. 4 is a back elevational view thereof.

The surface treatments consisting of the light and heavy stippling and broken hatched lines are understood to extend uniformly across the indicated structures to which they are applied.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4