



US00D580257S

(12) **United States Design Patent**  
**Squyres**

(10) **Patent No.:** **US D580,257 S**

(45) **Date of Patent:** **\*\* Nov. 11, 2008**

(54) **CARGO STRAP**

(75) Inventor: **Jerrell P. Squyres**, Dallas, TX (US)

(73) Assignee: **JPS Corporation**, Dallas, TX (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/247,401**

(22) Filed: **Jun. 15, 2006**

(51) **LOC (8) Cl.** ..... **08-05**

(52) **U.S. Cl.** ..... **D8/349**

(58) **Field of Classification Search** ..... D8/354;  
24/68 CD, 301

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

2,839,804	A *	6/1958	Benoit	.....	24/301
4,757,578	A *	7/1988	Lamb	.....	24/482
4,765,037	A *	8/1988	Perry	.....	24/301
5,440,790	A *	8/1995	Chou	.....	24/302
5,673,464	A *	10/1997	Whittaker	.....	24/301

5,722,125 A \* 3/1998 Vasilopoulos ..... 24/301

\* cited by examiner

*Primary Examiner*—Holly H Baynham

(74) *Attorney, Agent, or Firm*—Vincent J. Allen; Carstens & Cahoon, LLP

(57) **CLAIM**

The ornamental design for an improved cargo strap, as shown and described.

**DESCRIPTION**


FIG. 1 is a perspective view of the improved cargo strap of the present invention;

FIG. 2 is a front and back elevation view of the improved cargo strap of the present invention, with the front elevation view a mirror image of the back elevation view;

FIG. 3 is a top and bottom elevation view of the improved cargo strap of the present invention, with the top elevation view a mirror image of the bottom elevation view; and,

FIG. 4 is a left and right elevation view of the improved cargo strap of the present invention, with the left elevation view a mirror image of the right elevation view.

**1 Claim, 2 Drawing Sheets**






FIG. 1




FIG. 2



FIG. 3



FIG. 4