



US00D580908S

(12) **United States Design Patent**
Nakamura

(10) **Patent No.:** **US D580,908 S**
(45) **Date of Patent:** **** Nov. 18, 2008**

(54) **RECORDER**

FOREIGN PATENT DOCUMENTS

(75) Inventor: **Takatoshi Nakamura**, Tokyo (JP)

JP D1080665 S 7/2000

(73) Assignee: **Sony Corporation**, Tokyo (JP)

JP D1146814 S 7/2002

(**) Term: **14 Years**

JP D1200589 S 3/2004

(21) Appl. No.: **29/290,409**

JP D1281231 S 9/2006

(22) Filed: **Dec. 4, 2007**

JP D1307512 S 8/2007

Primary Examiner—Cathron Brooks

Assistant Examiner—Austin Murphy

(30) **Foreign Application Priority Data**

(74) *Attorney, Agent, or Firm*—Rader, Fishman & Grauer, PLLC

Sep. 11, 2007 (JP) 2007-024726

(57) **CLAIM**

The ornamental design for a recorder, as shown.

(51) **LOC (8) Cl.** **14-01**

DESCRIPTION

(52) **U.S. Cl.** **D14/167**

(58) **Field of Classification Search** D14/167,

FIG. 1 is a front elevational view of a recorder showing my new design;

D14/154, 168, 188, 496, 156, 160, 161, 162,

FIG. 2 is a rear elevational view thereof;

D14/163, 164, 165, 192; D16/208; D26/38;

FIG. 3 is a left side elevational view thereof;

455/351, 350

FIG. 4 is a right side elevational view thereof;

See application file for complete search history.

FIG. 5 is a top plan view thereof; and,

(56) **References Cited**

FIG. 6 is a bottom plan view thereof.

U.S. PATENT DOCUMENTS

D472,885 S 4/2003 Kataoka

D493,443 S 7/2004 Obata

1 Claim, 6 Drawing Sheets




Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6

