



US00D581255S

(12) **United States Design Patent**
Calvin

(10) **Patent No.:** **US D581,255 S**
(45) **Date of Patent:** **** Nov. 25, 2008**

(54) **CORD RETAINER**

(76) Inventor: **Edmund Calvin**, 37 Hoinski Way,
Ansonia, CT (US) 06401

(**) Term: **14 Years**

(21) Appl. No.: **29/304,385**

(22) Filed: **Feb. 29, 2008**

(51) **LOC (8) Cl.** **08-08**

(52) **U.S. Cl.** **D8/356**

(58) **Field of Classification Search** D8/105,
D8/107, 333, 349, 354, 356, 358, 360, 360.1,
D8/367, 373, 382, 383, 394-396, 400; D23/261;
D26/38; 24/18, 197, 561; 174/153 G, 650,
174/656, 135; 242/400.1, 405.1, 405.2, 600,
242/603, 604, 604.1, 607, 608, 608.6, 608.7,
242/609, 916; 248/65, 74.1-74.4, 201, 214,
248/215, 229.26, 302, 304, 316.7, 316.8;
439/367, 369, 371, 472; 211/119; D13/153;
224/268, 269, 666

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

273,698 A * 3/1883 Alcott 248/304
314,385 A * 3/1885 Lawshe 248/74.1
424,239 A * 3/1890 Williams et al. 248/304
1,333,616 A * 3/1920 Hall et al. 248/117.1
1,805,984 A * 5/1931 Hull 248/304
2,084,953 A 6/1937 Gibson
2,266,560 A 12/1941 Mansfield
2,292,140 A * 8/1942 Lofgren 24/130
2,601,872 A * 7/1952 Kaufmann 139/88
2,659,059 A 11/1953 Johnson
3,102,922 A 9/1963 Lashmutt
3,298,652 A * 1/1967 Burdick 410/107
3,621,651 A * 11/1971 Gillespie 59/85
3,659,319 A * 5/1972 Erickson 24/304
D223,803 S * 6/1972 Lichnecker D8/356
D224,957 S * 10/1972 Dauray et al. D8/367
3,838,383 A 9/1974 Wilbur et al.

D233,385 S * 10/1974 Friedman D6/553
3,930,116 A 12/1975 Richards
4,045,108 A 8/1977 Olsen
4,066,313 A 1/1978 von dem Hagen
D248,347 S * 7/1978 McCollum D6/552
4,105,274 A 8/1978 Casey
4,139,253 A 2/1979 Hudson
D262,816 S * 1/1982 Radocy D21/777
D266,124 S * 9/1982 Stankewich D8/367
D269,851 S 7/1983 Kimura
D275,175 S 8/1984 Rolli, Jr.
4,618,200 A 10/1986 Roberts et al.
D296,867 S * 7/1988 Owen D8/333
4,768,974 A 9/1988 Cowan et al.
4,789,353 A 12/1988 Busta et al.
D302,938 S * 8/1989 Fujioka D8/356
D331,695 S * 12/1992 O'Keefe D8/356
D345,297 S * 3/1994 Kraine D8/367
5,331,725 A * 7/1994 Chou 24/545
D366,609 S * 1/1996 McDonald D8/397
5,542,631 A * 8/1996 Bruno 248/58
5,547,390 A 8/1996 Laherty

(Continued)

Primary Examiner—T. Chase Nelson

Assistant Examiner—Karen Acker

(74) *Attorney, Agent, or Firm*—Barlow, Josephs & Holmes,
Ltd.

(57)

CLAIM

The ornamental design for a cord retainer, as shown and
described.

DESCRIPTION

FIG. 1 is a perspective view of a cord retainer, showing my
new design;


FIG. 2 is a front view thereof, the rear view being the same;

FIG. 3 is a bottom view thereof;

FIG. 4 is a top view thereof; and,

FIG. 5 is a left side view thereof, the right side view being the
same.

1 Claim, 3 Drawing Sheets



U.S. PATENT DOCUMENTS							
5,549,482	A	8/1996	Langlais et al.	6,202,267	B1 *	3/2001	Collins et al. 24/598.5
5,628,646	A	5/1997	Voss	6,491,539	B1	12/2002	Johnston
D387,652	S *	12/1997	Carlson, Jr. D8/356	D470,937	S *	2/2003	Gary et al. D24/138
D389,050	S *	1/1998	Li D8/395	D473,449	S *	4/2003	Wu et al. D8/356
D401,559	S *	11/1998	Angell D13/154	6,833,507	B2	12/2004	Arkin et al.
D409,082	S *	5/1999	Donahue D8/373	6,846,196	B1 *	1/2005	Fallon 439/369
D420,568	S *	2/2000	Repmann et al. D8/382	D510,015	S *	9/2005	Hostetler D8/373
6,033,251	A	3/2000	Cook	6,953,175	B1 *	10/2005	Carrera 248/74.1
6,071,142	A	6/2000	Blackman	7,014,493	B1	3/2006	Battard
6,095,846	A	8/2000	Becerra	7,140,587	B1 *	11/2006	Diggle et al. 248/339
D439,138	S *	3/2001	Abernathy D8/356	2002/0125385	A1 *	9/2002	Tweed 248/213.2
D439,496	S *	3/2001	Stevens et al. D8/330	2004/0166718	A1	8/2004	Yuest
				2007/0295872	A1 *	12/2007	Schulze 248/215
				* cited by examiner			




FIG. 1




FIG. 2




FIG. 3



FIG. 4




FIG. 5