



US00D581259S

(12) **United States Design Patent**
Portz

(10) **Patent No.:** **US D581,259 S**
(45) **Date of Patent:** **** Nov. 25, 2008**

(54) **SET OF HOOKS**

(76) Inventor: **Thomas J. Portz**, 1801 Jennifer La.,
Waukesha, WI (US) 53186

(**) Term: **14 Years**

(21) Appl. No.: **29/321,177**

(22) Filed: **Jul. 11, 2008**

(51) **LOC (8) Cl.** **08-05**

(52) **U.S. Cl.** **D8/367; D8/367**

(58) **Field of Classification Search** D8/16,
D8/17, 18, 19, 21, 27, 33, 34, 35, 36, 37,
D8/38, 39, 40, 41, 42, 43, 88, 105, 323, 354,
D8/363, 367, 370; D6/315, 320, 323, 328,
D6/524, 550; D22/144; 223/85, 86, 87,
223/88, 89, 90, 91, 92, 93, 94, 95, 96, 97,
223/98; 211/13.1, 59.1, 70.6, 85.3, 113,
211/183; 248/220.41, 220.43, 222.12, 304,
248/317, 338, 346.01; 40/642.01; D7/665,
D7/666, 680; 7/113, 151, 152, 153, 154,
7/155, 156; 81/3.27, 3.4, 3.55

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

305,860	A	9/1884	Taylor	
350,807	A	10/1886	Clark	
505,209	A	9/1893	White	
908,320	A	12/1908	Page	
D93,637	S	10/1934	Schirmacher	
D99,440	S	4/1936	Levy	
D126,709	S	4/1941	Warren	
D296,759	S	* 7/1988	Greenhut et al. D8/367
D343,066	S	1/1994	Hsu	
5,984,250	A	11/1999	Connor	
D425,317	S	5/2000	Snell	

6,152,419	A	11/2000	Bender	
D436,453	S	1/2001	Gastelum et al.	
6,338,463	B1	1/2002	Babitz et al.	
D491,792	S	* 6/2004	Snell D8/367
D496,257	S	* 9/2004	Fields D8/367
D507,034	S	* 7/2005	Robertson D22/144
D544,220	S	* 6/2007	McConnell D6/323
D551,481	S	9/2007	Loveless	
D556,292	S	* 11/2007	Shelton D22/144
D557,120	S	* 12/2007	Snell D8/372
D564,243	S	* 3/2008	Zhang D6/323
D564,865	S	* 3/2008	Johnson D8/372
D568,621	S	* 5/2008	Krumpe et al. D6/323
D573,357	S	* 7/2008	Bickler et al. D6/323
D573,449	S	* 7/2008	Goodman et al. D8/371
D574,224	S	* 8/2008	Zhang D8/372

* cited by examiner

Primary Examiner—Robert M Spear
Assistant Examiner—Barbara B Lohr
(74) *Attorney, Agent, or Firm*—Moore & Hansen, PLLP


(57) **CLAIM**

I claim the ornamental design for a set of hooks, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a set of hooks of the present invention (with a mounting apparatus that is not part of the invention shown in phantom);
FIG. 2 is a right side view of the set of hooks of FIG. 1, the left side view being a mirror image of the right side view shown;
FIG. 3 is a front view of the set of hooks of FIG. 1;
FIG. 4 is a top view of the set of hooks of FIG. 1;
FIG. 5 is a bottom view of the set of hooks of FIG. 1; and,
FIG. 6 is a rear view of the set of hooks of FIG. 1.

1 Claim, 2 Drawing Sheets






Fig. 1




Fig. 3




Fig. 5




Fig. 2




Fig. 6




Fig. 4