



US00D581268S

(12) **United States Design Patent**
Heath et al.

(10) **Patent No.:** **US D581,268 S**

(45) **Date of Patent:** **** Nov. 25, 2008**

(54) **PACKAGING CAP**

(75) Inventors: **Linda R. Heath**, Minneapolis, MN (US); **Holly A. Robbins**, Minneapolis, MN (US); **Jeanette Carrell**, Shoreview, MN (US); **Sergio Gedanke**, Brooklyn, NY (US)

(73) Assignee: **Target Brands, Inc.**, Minneapolis, MN (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/297,680**

(22) Filed: **Nov. 15, 2007**

(51) **LOC (8) Cl.** **09-07**

(52) **U.S. Cl.** **D9/443; D9/445**

(58) **Field of Classification Search** D9/455, D9/453, 452, 445, 444, 443, 438, 436, 435, D9/434; D7/624.3, 624.2, 622, 619.1, 608, D7/607, 392.1, 629, 553.6, 391; 220/903, 220/780; 215/352, 328, 256, 253, 252, 243, 215/237, 228, 223

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D96,134 S	7/1935	Rosengart-Famel	
D104,881 S	6/1937	Rosengart	
2,778,520 A *	1/1957	Hyde, Jr.	215/253
3,156,941 A	11/1964	Tomaiuolo	
3,187,919 A *	6/1965	Inglis	D9/443
3,250,423 A *	5/1966	Curran	D9/443
D212,463 S *	10/1968	Vanderhyde	D9/452
D221,064 S	7/1971	Warren	D9/261
D259,020 S	4/1981	Beguín	D9/377
4,273,247 A	6/1981	Earls	215/228
D316,369 S	4/1991	Thompson	D9/337
5,009,310 A	4/1991	Finney	206/229
5,065,923 A	11/1991	Hoefler et al.	220/694
5,165,558 A	11/1992	Cargile	215/100

5,407,089 A	4/1995	Bird et al.	220/212.5
5,472,121 A	12/1995	Silano	222/158
5,547,109 A	8/1996	Robbins, III	222/158
D396,808 S	8/1998	Maria Camps et al.	D9/527
5,860,742 A	1/1999	Faircloth, Jr.	383/80
D422,920 S	4/2000	Tapp et al.	D9/530
D471,455 S *	3/2003	Laveault et al.	D9/443
D507,488 S	7/2005	Golding et al.	D9/528
6,981,601 B2 *	1/2006	Laveault et al.	215/253
2004/0007555 A1	1/2004	Steele, IV et al.	215/228

OTHER PUBLICATIONS

Protomold, Design Guidelines: Uniform Wall Thickness, http://www.protomold.com/DesignGuidelines_UniformWallThickness.aspx, 3 pages, 1999.

Packaging Digest, Design Trends, 6 pages, <http://www.packagingdigest.com/articles/200607/6.php>, Jul. 2006.

* cited by examiner

Primary Examiner—Susan B Hattan

(74) *Attorney, Agent, or Firm*—Theodore M. Magee; Westman, Champlin & Kelly, P.A.

(57) **CLAIM**

The ornamental design for a packaging cap, as shown.

DESCRIPTION

The packaging cap is intended to be used to cover a package and to measure liquids and granular items and the like stored in the package.

FIG. 1 is a top right front perspective view of the packaging cap.

FIG. 2 is a right side view of the packaging cap of FIG. 1.

FIG. 3 is a left side view of the packaging cap of FIG. 1.


FIG. 4 is a back view of the packaging cap of FIG. 1.

FIG. 5 is a front view of the packaging cap of FIG. 1.

FIG. 6 is a top view of the packaging cap of FIG. 1; and,

FIG. 7 is a bottom view of the packaging cap of FIG. 1.

1 Claim, 2 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7