



US00D581269S

(12) **United States Design Patent**  
**Alluigi**

(10) **Patent No.:** **US D581,269 S**

(45) **Date of Patent:** **\*\* Nov. 25, 2008**

(54) **SPRAYING DEVICE FOR BOTTLES**

(75) Inventor: **Riccardo Alluigi**, Acqui Terme (IT)

(73) Assignee: **Guala Dispensing S.p.A.**, Spinetta Marengo, Alessandria (IT)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/249,376**

(22) Filed: **Oct. 4, 2006**

(30) **Foreign Application Priority Data**

Jul. 17, 2006 (IT) ..... MI2006O0155

(51) **LOC (8) Cl.** ..... **09-07**

(52) **U.S. Cl.** ..... **D9/448**

(58) **Field of Classification Search** ..... D9/682,  
D9/448, 447, 435, 434; D6/542; D23/227,  
D23/226, 213; 222/255, 251, 383.3, 383.1,  
222/382

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- D243,180 S \* 1/1977 Federico et al. .... D23/226
- D247,366 S \* 2/1978 Jones et al. .... D23/226
- D256,946 S \* 9/1980 Campbell et al. .... D23/226
- D277,978 S \* 3/1985 Bundschuh ..... D23/226
- D373,312 S \* 9/1996 Lin ..... D9/448
- D394,008 S \* 5/1998 Foster et al. .... D9/448
- D394,009 S \* 5/1998 Foster et al. .... D9/448
- D406,060 S \* 2/1999 Dumont et al. .... D9/448
- D409,487 S \* 5/1999 Wadsworth et al. .... D9/448

- D409,918 S \* 5/1999 Wadsworth et al. .... D9/448
- D420,914 S \* 2/2000 Cummings ..... D9/448
- D421,388 S \* 3/2000 Cummings ..... D9/448
- D424,939 S \* 5/2000 Fan et al. .... D9/448
- D454,787 S \* 3/2002 Cummings ..... D9/448
- D456,262 S \* 4/2002 Cummings ..... D9/448
- D494,866 S \* 8/2004 Guala ..... D9/448
- D495,399 S \* 8/2004 Guala ..... D23/213
- D521,864 S \* 5/2006 Cartoni ..... D9/448
- D541,655 S \* 5/2007 Alluigi ..... D9/448
- D546,683 S \* 7/2007 Yang ..... D9/448
- D551,549 S \* 9/2007 Maas et al. .... D9/448
- D553,497 S \* 10/2007 Maas et al. .... D9/448

\* cited by examiner

*Primary Examiner*—Gary D. Watson

*Assistant Examiner*—Susan Bennett Hattan

(74) *Attorney, Agent, or Firm*—Shoemaker and Mattare

(57) **CLAIM**

The ornamental design for a spraying device for bottles, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a spraying device for bottles, showing my new design from the left side, front and top;

FIG. 2 is a perspective view thereof, from the right side, front and top;


FIG. 3 is a front elevational view thereof;

FIG. 4 is a right side elevational view thereof;

FIG. 5 is a rear elevational view thereof; and,

FIG. 6 is a top plan view thereof.

**1 Claim, 2 Drawing Sheets**






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 6




Fig. 5