



US00D581418S

(12) **United States Design Patent**
Diccion

(10) **Patent No.:** **US D581,418 S**
(45) **Date of Patent:** **** Nov. 25, 2008**

(54) **JOYSTICK ATTACHMENT**

2006/0156848 A1 7/2006 Gosselin et al.

(75) Inventor: **Amory R. Diccion**, Dunlap, IL (US)

(73) Assignee: **Caterpillar Inc.**, Peoria, IL (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/298,206**

(22) Filed: **Nov. 30, 2007**

(51) **LOC (8) Cl.** **14-02**

(52) **U.S. Cl.** **D14/413; D34/35; D14/432**

(58) **Field of Classification Search** D14/217,
D14/218, 288, 299–401, 412–416, 432–434,
D14/447, 454, 457, 496; D21/324, 332,
D21/333, 662, 682, 694, 697; D34/27, 35;
463/1, 30, 36–38, 46, 47; 345/156–161,
345/905

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,142,227	A *	7/1964	Stringer	89/136
D231,741	S *	6/1974	Tompkins	D12/174
3,941,009	A	3/1976	Brown	
4,332,177	A	6/1982	Andresen	
4,574,651	A	3/1986	Nordstrom	
D300,023	S *	2/1989	DeRamus, Jr.	D14/179
4,884,057	A	11/1989	Leorat	
D355,660	S *	2/1995	Holmes	D21/828
D363,067	S *	10/1995	Holmes et al.	D14/356
5,481,077	A	1/1996	Clegg et al.	
D366,909	S *	2/1996	Hsieh	D14/412
5,503,040	A	4/1996	Wright	
5,533,590	A	7/1996	Steffen et al.	
5,585,608	A	12/1996	Kraemer	
6,178,841	B1	1/2001	Ruckert et al.	
H2024	H	6/2002	Kelley et al.	
D462,950	S *	9/2002	Waffensmith et al.	D14/251
D467,241	S *	12/2002	Solland	D14/224
D510,310	S *	10/2005	Rick et al.	D12/317
7,036,250	B2	5/2006	Dressler et al.	
D526,757	S	8/2006	Bergman et al.	

OTHER PUBLICATIONS

U.S. Appl. No. 11/906,630, Joystick Offset Controls, filed Oct. 3, 2007.

U.S. Appl. No. 11/948,382, Joystick Attachment, filed Nov. 30, 2007.

* cited by examiner

Primary Examiner—Stella M. Reid

Assistant Examiner—Keli L Acker

(74) *Attorney, Agent, or Firm*—Richard K. Chang, II

(57) **CLAIM**

The ornamental design for a joystick attachment, as shown and described.

DESCRIPTION

FIG. 1 is an isometric view of a left-handed joystick attachment shown connected to a joystick, embodying my new design, a right-handed joystick attachment being a mirror image thereto;

FIG. 2 is an isometric view of a right-handed joystick attachment, shown connected to a joystick, a left-handed joystick attachment being a mirror image thereto;

FIG. 3 is an alternate isometric view of a right-handed joystick attachment, a left-handed joystick attachment being a mirror image thereto;

FIG. 4 is a front view thereof;

FIG. 5 is a rear view thereof;

FIG. 6 is a left side view thereof;

FIG. 7 is a right view thereof;

FIG. 8 is a top view thereof; and,

FIG. 9 is a bottom view thereof.

FIGS. 2–9 depict a right-handed joystick attachment, a left-handed joystick attachment is a mirror image thereto.

The broken lines represent portions of the design that form no part of the claim.

1 Claim, 9 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3



FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9

