



US00D581435S

(12) **United States Design Patent**
Yamaguchi et al.

(10) **Patent No.:** **US D581,435 S**

(45) **Date of Patent:** **** Nov. 25, 2008**

(54) **REFRIGERATOR**

(75) Inventors: **Susumu Yamaguchi**, Oizumi-machi (JP); **Naoyuki Fukuda**, Ota (JP); **Hidehiko Sato**, Ota (JP); **Kimie Takashima**, Kumagaya (JP); **Akihiro Mochizuki**, Oizumi-machi (JP); **Toshiyuki Hanamure**, Oizumi-machi (JP); **Nobuhiko Hoshino**, Saitama (JP)

(73) Assignee: **Akimoto & Co.**, Tokyo (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/264,581**

(22) Filed: **Aug. 14, 2006**

(30) **Foreign Application Priority Data**

Feb. 14, 2006 (JP) 2006-003294
Feb. 14, 2006 (JP) 2006-003295
Feb. 20, 2006 (JP) 2006-003839

(51) **LOC (8) Cl.** **15-07**

(52) **U.S. Cl.** **D15/86**

(58) **Field of Classification Search** D15/79,
D15/81, 85, 86, 87, 88, 91; 62/293, 331,
62/337, 371, 389, 440, 467, 529, 531; 312/236,
312/352, 400-408

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D410,013 S * 5/1999 Takasago et al. D15/86
D410,473 S * 6/1999 Higuchi et al. D15/86
D495,719 S * 9/2004 Kirchner et al. D15/86
D502,711 S * 3/2005 Floeter et al. D15/86
D508,249 S * 8/2005 Seok et al. D15/86
D518,832 S * 4/2006 Park et al. D15/85
D527,745 S * 9/2006 Kim et al. D15/85
D528,135 S * 9/2006 Kim et al. D15/85

D533,885 S * 12/2006 Yang D15/85

* cited by examiner

Primary Examiner—Stella M. Reid

Assistant Examiner—Shanda C Hill

(74) *Attorney, Agent, or Firm*—Christopher & Weisberg, P.A.

(57) **CLAIM**

The ornamental design for a refrigerator, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of one embodiment of the refrigerator of the present invention showing the front and right side thereof;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;

FIG. 4 is a right-side elevational view thereof;

FIG. 5 is a left-side elevational view thereof;

FIG. 6 is a top plan view thereof;

FIG. 7 is a bottom plan view thereof;

FIG. 8 is a cross sectional view of the refrigerator taken along line 8—8 of FIG. 2;

FIG. 9 is a front elevational view of FIG. 1 shown in an open position thereof;

FIG. 10 is a perspective view of an alternate embodiment of the refrigerator of the present invention showing the front and right side thereof;



FIG. 11 is a front elevational view of FIG. 14 thereof;

FIG. 12 is a left-side elevational view of FIG. 14 thereof;

FIG. 13 is a cross sectional view of the refrigerator taken along line 13—13 of FIG. 11; and,

FIG. 14 is a front elevational view of FIG. 14 shown in an open position thereof.

1 Claim, 11 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13



FIG. 14