



US00D581443S

(12) **United States Design Patent**
Jannard et al.

(10) **Patent No.:** **US D581,443 S**
(45) **Date of Patent:** **** Nov. 25, 2008**

(54) **EYEGLASSES COMPONENTS**

(75) Inventors: **James H. Jannard**, Spieden Island, WA (US); **Lek Thixton**, Orcas, WA (US); **Colin Baden**, Irvine, CA (US); **Peter Yee**, Irvine, CA (US)

(73) Assignee: **Oakley, Inc.**, Foothill Ranch, CA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/301,902**

(22) Filed: **Mar. 21, 2008**

Related U.S. Application Data

(62) Division of application No. 29/266,547, filed on Sep. 22, 2006, now Pat. No. Des. 569,412.

(51) **LOC (8) Cl.** **16-06**
(52) **U.S. Cl.** **D16/314**
(58) **Field of Classification Search** D16/101,
D16/300-342; D29/109-110; D24/110.2;
351/41, 44, 51-52, 62, 158, 92, 103-123,
351/140, 153; 2/426-432, 447-449, 441,
2/434-437

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D150,924 S	9/1948	Blight	
D176,316 S	12/1955	Fleming	
D178,178 S	7/1956	Fleming	
D293,450 S	12/1987	Jannard	
D323,333 S	1/1992	Jannard et al.	
D324,394 S	3/1992	Jannard	
D329,442 S	9/1992	Jannard	
D330,035 S	10/1992	Jannard	
D331,587 S	12/1992	Jannard et al.	
5,249,001 A	9/1993	Jannard	
D344,742 S	3/1994	Jannard	
D346,814 S *	5/1994	Iida	D16/314
D354,501 S	1/1995	Jannard	

5,610,668 A	3/1997	Mage	
D384,364 S	9/1997	Yee	
5,760,868 A	6/1998	Jannard et al.	
D399,519 S	10/1998	Yee	
D399,866 S	10/1998	Yee	
D401,607 S	11/1998	Miniutti	
D410,484 S	6/1999	Jannard et al.	
6,233,342 B1	5/2001	Fernandez	
D452,522 S *	12/2001	Chiou	D16/330
D458,624 S	6/2002	Soper	
D473,892 S	4/2003	Thixton et al.	
D529,066 S *	9/2006	Matera	D16/315

OTHER PUBLICATIONS

U.S. Appl. No. 29/266,547, filed Sep. 22, 2006.
U.S. Appl. No. 29/288,604, filed Jun. 15, 2007.
U.S. Appl. No. 29/288,605, filed Jun. 15, 2007.
U.S. Appl. No. 29/288,606, filed Jun. 15, 2007.

* cited by examiner

Primary Examiner—Raphael Barkai

(74) *Attorney, Agent, or Firm*—Gregory K. Nelson

(57) **CLAIM**

The ornamental design for eyeglass components, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of the eyeglass components of the present invention;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;


FIG. 4 is a left-side elevational view thereof, the right-side elevational view being a mirror image thereof;

FIG. 5 is a top elevational view thereof; and,

FIG. 6 is a bottom plan view thereof.

Phantom lining, where utilized, is for illustrative purposes only and is not intended to limit the claimed design to the features shown in phantom.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6