



US00D581450S

(12) **United States Design Patent**  
**Moritz**

(10) **Patent No.:** **US D581,450 S**

(45) **Date of Patent:** **\*\* Nov. 25, 2008**

(54) **EYEGLASS**

(75) Inventor: **Hans Karsten Moritz**, Foothill Ranch,  
CA (US)

(73) Assignee: **Oakley, Inc.**, Foothill Ranch, CA (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/307,362**

(22) Filed: **Apr. 15, 2008**

(51) **LOC (8) Cl.** ..... **16-06**

(52) **U.S. Cl.** ..... **D16/326**

(58) **Field of Classification Search** ..... D16/101,  
D16/300-342; D29/109-110; D24/110.2;  
351/41, 44, 51-52, 62, 158, 92, 103-123,  
351/140, 153; 2/426-432, 447-449, 441,  
2/434-437; D21/483, 659-661

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D140,500 S *	3/1945	Ditto	.....	D16/326
D142,332 S *	8/1945	Di Chiara	.....	D16/326
D146,224 S *	1/1947	Kono	.....	D16/326
2,482,195 A *	9/1949	Martin	.....	351/52
D155,580 S *	10/1949	Coen	.....	D16/326
D173,868 S *	1/1955	Belgard	.....	D16/326
D187,299 S	2/1960	Behr		
D204,956 S *	5/1966	Ramp	.....	D16/326
D208,437 S *	8/1967	Kono	.....	D16/326
D300,226 S	3/1989	Ramp		
D309,149 S	7/1990	Pouilloux		
D309,618 S	7/1990	Evans		
D330,395 S *	10/1992	Simioni	.....	D16/319

D342,080 S	12/1993	Cargle		
D352,300 S	11/1994	Gales		
5,537,161 A *	7/1996	Monroe	.....	351/51
5,712,697 A *	1/1998	Walton	.....	351/47
D397,350 S *	8/1998	Jannard et al.	.....	D16/326
D409,222 S	5/1999	Raub		
D427,622 S *	7/2000	Conway	.....	D16/326

**OTHER PUBLICATIONS**

Oakley, Inc., Frogskin Sunglass model, Sample printed from www.oakley.com on Jun. 18, 2008, first published in approximately 1985. U.S. Appl. No. 29/253,705, filed Feb. 10, 2006. U.S. Appl. No. 29/285,424, filed Mar. 29, 2007. U.S. Appl. No. 29/294,673, filed Jan. 21, 2008. U.S. Appl. No. 29/294,656, filed Jan. 21, 2008.

\* cited by examiner

*Primary Examiner*—Raphael Barkai

(74) *Attorney, Agent, or Firm*—Gregory K. Nelson

(57) **CLAIM**

The ornamental design for an eyeglass, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of the eyeglass of the present invention;

FIG. 2 is a front elevational view thereof;


FIG. 3 is a rear elevational view thereof;


FIG. 4 is a left-side elevational view thereof, the right-side elevational view being a mirror image thereof;

FIG. 5 is a top plan view thereof; and,


FIG. 6 is a bottom plan view thereof.

**1 Claim, 4 Drawing Sheets**







*FIG. 1*




*FIG. 2*




*FIG. 3*



*FIG. 4*



***FIG. 5***



***FIG. 6***