



US00D581529S

(12) **United States Design Patent**
Moehle et al.

(10) **Patent No.:** **US D581,529 S**
(45) **Date of Patent:** **** Nov. 25, 2008**

(54) **CATHETER TIP**

(75) Inventors: **Ryan T. Moehle**, Salt Lake City, UT
(US); **William R. Barron**, Riverton, UT
(US)

(73) Assignee: **C. R. Bard, Inc.**, Murray Hill, NJ (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/296,092**

(22) Filed: **Oct. 12, 2007**

(51) **LOC (8) Cl.** **24-02**

(52) **U.S. Cl.** **D24/130**

(58) **Field of Classification Search** D24/112,
D24/129, 130; 604/167.02, 264, 272, 533,
604/525, 905, 912, 177, 83, 921, 539

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D236,920	S *	9/1975	Sheridan	D24/112
4,405,313	A	9/1983	Sisley et al.		
5,254,106	A *	10/1993	Feaster	604/272
5,273,527	A	12/1993	Schatz et al.		
5,395,316	A	3/1995	Martin		
D357,733	S *	4/1995	Matkovich	D24/112
5,571,093	A	11/1996	Cruz et al.		
5,584,182	A	12/1996	Althaus et al.		
5,665,078	A *	9/1997	McGregor et al.	604/272
5,685,867	A	11/1997	Twardowski et al.		
5,961,486	A	10/1999	Twardowski et al.		
6,221,049	B1 *	4/2001	Selmon et al.	604/164.13
6,786,884	B1	9/2004	DeCant, Jr. et al.		
6,979,318	B1 *	12/2005	McDonald et al.	604/158
D517,694	S *	3/2006	Wilshire et al.	D24/146
7,090,654	B2	8/2006	Lotito et al.		
7,141,035	B2	11/2006	Haggstrom		
7,182,746	B2	2/2007	Haarala et al.		

7,282,041	B2	10/2007	Igarashi et al.		
2006/0004316	A1	1/2006	Difiore et al.		
2007/0078412	A1 *	4/2007	McGuckin et al.	604/264
2007/0088328	A1 *	4/2007	Melsheimer	604/533
2007/0100286	A1 *	5/2007	Eltahawy	604/164.12
2008/0009784	A1	1/2008	Leedle et al.		
2008/0154217	A1 *	6/2008	Carrez et al.	604/272

FOREIGN PATENT DOCUMENTS

DE	834211	2/1976		
DE	2643594	A1	4/1977	
GB	1503469		3/1978	
WO	2006002192	A2	1/2006	
WO	2007053741	A1	5/2007	

* cited by examiner

Primary Examiner—Louis S Zarfes

Assistant Examiner—Eric L Goodman

(74) *Attorney, Agent, or Firm*—Rutan & Tucker LLP

(57) **CLAIM**

The ornamental design for a catheter tip, substantially as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an embodiment of a catheter tip.

FIG. 2 is an enlarged perspective view of the catheter tip of FIG. 1.

FIG. 3 is a front view of the catheter tip of FIG. 1.

FIG. 4 is a first side view of the catheter tip of FIG. 1.


FIG. 5 is a back view of the catheter tip of FIG. 1.

FIG. 6 is a second side view of the catheter tip of FIG. 1; and,

FIG. 7 is a top view of the catheter tip of FIG. 1.

The portions of the drawings shown in broken lines form no part of the claimed design.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 7




FIG. 6




FIG. 5