



US00D581594S

(12) **United States Design Patent**
Micinilio et al.

(10) **Patent No.:** **US D581,594 S**

(45) **Date of Patent:** **** Nov. 25, 2008**

(54) **SAFETY RAZOR HANDLE**

D534,316 S * 12/2006 Bozikis et al. D28/48
D536,485 S * 2/2007 Wonderley et al. D28/48

(75) Inventors: **Gregg A. Micinilio**, Trumbull, CT (US);
Wes Rhoad, Hamden, CT (US)

* cited by examiner

(73) Assignee: **Eveready Battery Company, Inc.**, St.
Louis, MO (US)

Primary Examiner—Jennifer Rivard
(74) *Attorney, Agent, or Firm*—Michaud-Duffy Group LLP

(**) Term: **14 Years**

(57) **CLAIM**

(21) Appl. No.: **29/289,514**

We claim the ornamental design for the safety razor handle, as shown and described.

(22) Filed: **Jul. 24, 2007**

DESCRIPTION

(51) **LOC (8) Cl.** **28-03**

(52) **U.S. Cl.** **D28/48**

(58) **Field of Classification Search** D28/44-54;
30/30, 32, 34.05, 34.1, 34.2, 41-41.9, 44-45,
30/43-43.92, 47-51, 57-58, 346.5-346.61,
30/526-527, 532, 533, 537-540

FIG. 1 is a bottom perspective view of the safety razor handle.

FIG. 2 is a front view of the safety razor handle

FIG. 3 is a left view of FIG. 2.

FIG. 4 is a right view of FIG. 2.

FIG. 5 is an upper end view of FIG. 2; and,

FIG. 6 is a lower end view of FIG. 2.

See application file for complete search history.


The straight broken lines which connect the ends of existing full lines define the claimed design. All other broken lines are for illustrative purposes only. None of the broken lines form a part of the claimed design.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D482,161 S * 11/2003 Yamagishi et al. D28/48
D491,690 S * 6/2004 Yamashita D28/48
D500,170 S * 12/2004 Jung D28/46
D534,314 S * 12/2006 Lee D28/46

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




Fig. 5




Fig. 6