

US00D581736S

## (12) United States Design Patent

#### Besseas

#### (10) Patent No.:

### US D581,736 S

#### (45) **Date of Patent:**

Dec. 2, 2008

(54)	BURNER		5,468,145 A *	11/1995 Ferlin		
			D369,517 S *	5/1996 Ferlin		
(75)	Inventor:	Laurent Besseas, Pantin (FR)	6,817,355 B1*	11/2004 Hawkins et al 126/39 B		
( )			D524,105 S *	7/2006 Poltronieri		
(73)	Assignee.	LaCornue, Saint-Oven l'Aumone (FR)	D564,296 S *	3/2008 Koch et al		
	rissignee.		D565,898 S *	4/2008 Pryor		
(**)	Term:	14 Years				
( )	1 CIIII.	14 1 Cal S	* cited by examiner			
(21)	Annl No ·	20/205 225	Duine can Engania ca	Dobout A. Dolohoutz		
(21)	Appl. No.: 29/305,235		Primary Examiner—Robert A. Delehanty			
(22)	$\mathbf{E}_{1}^{2} = 1$ , $\mathbf{M}_{-}$ , $1 \in 2000$		Assistant Examiner—Mark Cavanna			
(22)	Filed:	Mar. 16, 2008	(74) Attorney, Agent, or Firm—WRB-IP LLP			
(20)	Ear	usian Annliestian Duisuitu Data	/ <b></b> \			
(30)	FOI	reign Application Priority Data	(57)	CLAIM		
Feb	. 21, 2008 (EP)					
		(——)	The ornamental design for burner, as shown and described.			
(51) LOC (8) Cl						
(52)			DESCRIPTION			
` /			FIG. 1 is a top, perspective view of the burner according to an embodiment of the present invention;			
(58)		assification Search				
	D7/402,	407; D23/129, 386, 415, 418; 126/39 B,				
		126/39 E, 39 R; 431/354, 264, 266	FIG. 2 is a top, plan view of the burner according to an			

#### **References Cited** (56)

#### U.S. PATENT DOCUMENTS


See application file for complete search history.

D191,085	S	*	8/1961	Kindle et al D7/407
D228,766	S	*	10/1973	Stohrer
D236,418	S	*	8/1975	Duperow et al
4,810,188	A	*	3/1989	Kwiatek 431/266
4,846,671	A	*	7/1989	Kwiatek 431/264
5,266,026	A	*	11/1993	Riehl 126/39 E
5,397,234	A	*	3/1995	Kwiatek 126/39 R

- according to an
- FIG. 2 is a top, plan view of the burner according to an embodiment of the present invention;
- FIG. 3 is a front, side view of the burner according to an embodiment of the present invention; and,
- FIG. 4 is a rear, side view of the burner according to an embodiment of the present invention.

The broken line showing of raised indicia is included for the purpose of illustration and forms no part of the claimed design.

1 Claim, 2 Drawing Sheets







FIG. 1



FIG. 2



Dec. 2, 2008

FIG. 3




FIG. 4

# UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : Des. 581,736 S

APPLICATION NO.: 29/305235

DATED : December 2, 2008 INVENTOR(S) : Laurent Besseas

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title Page, Item (73) Assignee:

The name of the Assignee is changed from "LaCornue, Saint-Oven 1'Aumone (FR)" to

--La Cornue, Saint-Ouen l'Aumone (FR)--.

Signed and Sealed this

Twenty-fourth Day of February, 2009

JOHN DOLL

Acting Director of the United States Patent and Trademark Office