

US00D581806S

(12) United States Design Patent

Marshall

(10) Patent No.:

US D581,806 S

(45) **Date of Patent:**

** Dec. 2, 2008

(54) PRODUCT PACKAGE

(76) Inventor: **Andria L. Marshall**, 3510 Ingraham St., Ste 200, San Diego, CA (US) 92109

(**) Term: **14 Years**

(21) Appl. No.: 29/289,972

(22) Filed: Aug. 8, 2007

See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

1,517,160	\mathbf{A}	*	11/1924	Kane
1,751,473	\mathbf{A}	*	3/1930	Deubener
2,289,254	A	*	7/1942	Eagles 383/97
2,454,013	A	*	11/1948	Scherzinger 383/2
3,800,361	A	*	4/1974	Stauffer 16/411
4,180,112	\mathbf{A}	*	12/1979	Bovet 383/4
4,836,690	\mathbf{A}	*	6/1989	Cheng 383/6
5,608,949	\mathbf{A}	*	3/1997	Cooley et al 24/30.5 R
5,882,117	\mathbf{A}	*	3/1999	Laffon 383/6
D431,357	\mathbf{S}	*	10/2000	du Sartel
D433,803	S	*	11/2000	Haapala D3/246
D445,567	S	*	7/2001	Imbert
D545,058	S	*	6/2007	Kiely et al D3/246

^{*} cited by examiner

Primary Examiner—Caron Veynar

Assistant Examiner—Abraham Bahta

(74) Attornov Agent on Firm Bighard F

(74) Attorney, Agent, or Firm—Richard D. Clarke

(57) CLAIM

The ornamental design for a product package, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of the product package having a ribbon in place holding the product package in the closed position, and having a front label insert showing through the translucent material which makes up the product package;

FIG. 2 is a rear perspective view of the product package having a ribbon in place holding the product package in the closed position, and having a rear label insert showing through the translucent material which makes up the product package;

FIG. 3 is a front elevational view of the product package;

FIG. 4 is a top plan view of the product package showing the product package in the fully open position;

FIG. 5 is a bottom view of the product package showing the product package in the fully open position;

FIG. 6 is a side elevational view of the product package showing the product package in the fully open position;

FIG. 7 is a top plan view of the product package showing the product package in the partially open position;


FIG. 8 is a side elevational view of the product package showing the product package in the partially open position;


FIG. 9 is a top plan view of the product package showing the product package in the fully closed position; and,

FIG. 10 is a side elevational view of the product package showing the product package in the fully closed position.

The broken lines shown in FIGS. 1 and 2 of the drawings, are for illustrative purposes only and form no part of the claimed design.

1 Claim, 3 Drawing Sheets








FIG. 3




FIG. 5




FIG. 4





FIG. 6






FIG. 7





FIG. 8






FIG. 10