

US00D582557S

(12) **United States Design Patent**  
**Inman**

(10) **Patent No.:** **US D582,557 S**  
(45) **Date of Patent:** **\*\* Dec. 9, 2008**

(54) **DENTAL CLASP**

(76) Inventor: **Donal P. Inman**, 4911 NW. 101 Ave.,  
Coral Springs, FL (US) 33065

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/318,082**

(22) Filed: **May 13, 2008**

(51) **LOC (8) Cl.** ..... **24-03**

(52) **U.S. Cl.** ..... **D24/180**

(58) **Field of Classification Search** ..... D24/180,  
D24/181, 182, 176; 433/8, 10, 22, 11, 6,  
433/7

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

3,127,677	A *	4/1964	Schachter	.....	433/17
3,237,305	A *	3/1966	Hegedus	.....	433/21
4,026,023	A	5/1977	Fisher		
5,096,416	A	3/1992	Hulsink		
D354,569	S *	1/1995	Hilgers	.....	D24/180
D354,570	S *	1/1995	Hilgers	.....	D24/180
D357,537	S *	4/1995	Hilgers	.....	D24/180
D387,165	S *	12/1997	Chikami	.....	D24/180
6,213,766	B1 *	4/2001	Di Massa	.....	433/7
6,435,871	B1	8/2002	Inman		
7,156,654	B2	1/2007	Inman		
D537,945	S *	3/2007	White	.....	D24/180
D538,434	S *	3/2007	White	.....	D24/180
2007/0087300	A1	4/2007	Willison et al.		

**OTHER PUBLICATIONS**

Harry S. Orton, M. Therese Garvey and Michael H. Pearson, Extrusion of the ectopic maxillary canine using a lower removable appliance, American Journal of Orthodontics and Dentofacial Orthopedics, Apr. 1995, pp. 349-359, vol. 107, No. 4, American Association of Orthodontists, U.S.A.

O-atlas, Dentaurum [online]. Chapter 1—Models, labial bows, appliance retaining elements, support elements. Six modifications of the Adams clasp [retrieved on Jun. 6, 2008]. Retrieved from the Internet: <URL: http://www.0-atlas.de/eng/kapitel1\_41.php>.

\* cited by examiner

*Primary Examiner*—Charles A Rademaker

(74) *Attorney, Agent, or Firm*—Dorr, Carson & Birney, P.C.

(57) **CLAIM**

The ornamental design for a dental clasp, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of a dental clasp showing my new design;

FIG. 2 is a rear perspective thereof;

FIG. 3 is a front elevation thereof;

FIG. 4 is a right side elevation thereof;

FIG. 5 is a rear elevation thereof;

FIG. 6 is a left side elevation thereof;

FIG. 7 is a top plan view thereof;

FIG. 8 is a bottom plan view thereof;

FIG. 9 is a front perspective view of a modified embodiment of the design shown in FIGS. 1 through 8;

FIG. 10 is a rear perspective view thereof;

FIG. 11 is a front elevation thereof;

FIG. 12 is a right side elevation thereof;


FIG. 13 is a rear elevation thereof;

FIG. 14 is a left side elevation thereof;

FIG. 15 is a top plan view thereof; and,

FIG. 16 is a bottom plan view thereof.

**1 Claim, 9 Drawing Sheets**






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6



*Fig. 7*



*Fig. 8*




Fig. 9




Fig. 10




Fig. 11




Fig. 12






Fig. 13




Fig. 14




Fig. 15




Fig. 16