



US00D582634S

(12) **United States Design Patent**  
**Lagassey**

(10) **Patent No.:** **US D582,634 S**  
(45) **Date of Patent:** **\*\* Dec. 16, 2008**

(54) **CAP WITH A PLURALITY OF ILLUMINATING ELEMENTS**

(76) Inventor: **Paul J. Lagassey**, 611 Date Palm Rd., Vero Beach, FL (US) 32963

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/299,588**

(22) Filed: **Dec. 28, 2007**

(51) **LOC (8) Cl.** ..... **02-03**

(52) **U.S. Cl.** ..... **D2/866**

(58) **Field of Classification Search** ..... D2/865,  
D2/866, 872, 873, 876, 879, 882, 871, 875,  
D2/870, 878, 880, 881, 884, 886, 891, 892,  
D2/893, 894, 895; D26/37, 38, 39; 2/10,  
2/12, 425, 171.4, 171.5, 174.183, 184, 181,  
2/209.11, 209.12, 209.13, 209.14, 175.1,  
2/175.2, 175.3, 175.4, 175.5, 195.1, 195.2,  
2/195.3, 195.6, 200.1, 200.2; 362/106, 107,  
362/570

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

1,109,415 A	9/1914	Harris
1,914,429 A	6/1933	Houlihan et al.
2,234,995 A	3/1941	Waechter
D127,785 S	4/1941	Brodton
2,539,104 A	1/1951	Rodel

(Continued)

**FOREIGN PATENT DOCUMENTS**

EM	000076906-0001	*	3/2004
GB	2094402	*	10/2000

*Primary Examiner*—Elizabeth A. Albert  
*Assistant Examiner*—Karen E Eldridge Powers  
(74) *Attorney, Agent, or Firm*—Milde & Hoffberg LLP

(57) **CLAIM**

The ornamental design for cap with a plurality of illuminating elements, as shown and described.

**DESCRIPTION**

FIG. 1 is a right-top perspective view of a cap having an illumination module with a plurality of illuminating elements;

FIG. 2 is a front view of a cap having an illumination module with a plurality of illuminating elements;

FIG. 3 is a left-top perspective view of a cap having an illumination module with a plurality of illuminating elements;

FIG. 4 is a top view of a cap having an illumination module with a plurality of illuminating elements;

FIG. 5 is a bottom view of a cap having an illumination module with a plurality of illuminating elements;

FIG. 6 is a rear view of a cap having an illumination module with a plurality of illuminating elements;

FIG. 7 is front perspective view of a cap having an illumination module with a plurality of illuminating elements;

FIG. 8 is a right perspective view of an illumination module; FIG. 9 is a left side view, of which the right side view is a mirror image of an illumination module;

FIG. 10 is a rear view of an illumination module;



FIG. 11 is a front view of an illumination module;

FIG. 12 is a top view of an illumination module; and,

FIG. 13 is a bottom view of an illumination module.

The broken lines that occur on either side of the gore seams, on the edges of the size adjustment opening and strap, the headband and the bias tape, as well as the six rows of broken lines that run along the edge of the visor, represent stitching and are part of the claimed design. The broken lines drawn with a shorter, finer segment in FIGS. 5 and 6 illustrate environmental matter and form no part of the claimed design.

**1 Claim, 7 Drawing Sheets**



# US D582,634 S

Page 2

## U.S. PATENT DOCUMENTS

D176,073 S	11/1955	Mantell		D417,063 S *	11/1999	Henning .....	D2/866
3,032,647 A	5/1962	Wansky et al.		D426,330 S	6/2000	Cramer	
D214,943 S	8/1969	Zapolski		D427,751 S *	7/2000	Richlin .....	D2/866
D238,958 S	2/1976	Feinbloom		6,174,075 B1 *	1/2001	Fuwausa .....	362/310
D266,192 S	9/1982	Feinbloom et al.		6,183,116 B1	2/2001	Harter et al.	
D274,758 S	7/1984	Shing		D447,586 S	9/2001	Shing	
D275,523 S	9/1984	Ader		6,302,570 B1 *	10/2001	Petell et al. ....	362/554
4,533,984 A *	8/1985	Gatton .....	362/232	6,467,929 B2	10/2002	Lee	
D285,141 S *	8/1986	Whisman .....	D2/866	6,634,031 B1	10/2003	Schlapkohl	
D292,641 S *	11/1987	Jernander et al. ....	D2/866	6,675,512 B1 *	1/2004	Shwartz et al. ....	40/329
D296,719 S	7/1988	Lester		D488,292 S *	4/2004	Haggberg .....	D2/866
4,794,496 A	12/1988	Lanes et al.		D489,165 S *	5/2004	Waters .....	D2/866
D300,868 S	4/1989	Conforti		6,733,150 B1	5/2004	Hanley	
4,827,384 A	5/1989	Von Schlemmer		D491,713 S	6/2004	Wilson	
4,916,596 A	4/1990	Sharrah et al.		6,752,511 B1	6/2004	Cramer	
D309,523 S *	7/1990	Martin .....	D2/884	D494,341 S *	8/2004	Park .....	D2/876
4,945,458 A	7/1990	Batts et al.		D501,290 S *	2/2005	Zuloff .....	D2/866
D311,266 S *	10/1990	Parker .....	D2/866	D503,261 S *	3/2005	Pedersen .....	D2/882
D318,338 S	7/1991	Mitchell		6,895,602 B2	5/2005	Schlapkohl	
D320,667 S	10/1991	Smith		D506,560 S	6/2005	Oas	
5,117,510 A	6/1992	Broussard et al.		6,932,487 B2 *	8/2005	Aknine .....	362/106
5,154,483 A	10/1992	Zeller		D517,283 S *	3/2006	Shin et al. ....	D2/865
D337,838 S	7/1993	Van Der Bel		D517,781 S *	3/2006	Ortley et al. ....	D2/882
5,363,291 A	11/1994	Steiner		7,086,749 B1	8/2006	Hanley	
D362,080 S	9/1995	Lehrer et al.		7,131,745 B2 *	11/2006	Sibbett .....	362/106
5,463,538 A	10/1995	Womack		7,234,831 B1 *	6/2007	Hanley .....	362/106
5,471,684 A *	12/1995	Casale .....	2/195.1	7,281,813 B2 *	10/2007	Golle et al. ....	362/108
5,541,816 A	7/1996	Miserendino		7,290,292 B1 *	11/2007	Nellon .....	2/171.3
D373,433 S	9/1996	Feinbloom		2002/0095715 A1 *	7/2002	Hong .....	2/209.11
D383,229 S	9/1997	Kiichiro		2002/0108165 A1 *	8/2002	Porter et al. ....	2/195.2
D383,892 S *	9/1997	Virzi .....	D2/866	2004/0003450 A1 *	1/2004	Wang .....	2/181
5,680,718 A	10/1997	Ratcliffe et al.		2006/0104052 A1 *	5/2006	Golle et al. ....	362/103
5,738,431 A	4/1998	Lary		2006/0198122 A1 *	9/2006	Senter et al. ....	362/105
5,741,060 A	4/1998	Johnson		2007/0022929 A1 *	2/2007	Wang .....	112/1
5,743,621 A	4/1998	Mantha et al.		2007/0056078 A1 *	3/2007	Tseng .....	2/171
D399,580 S	10/1998	Feinbloom		2007/0061944 A1 *	3/2007	Briskie .....	2/209.3
D405,202 S	2/1999	Fattori et al.		2008/0130272 A1 *	6/2008	Waters .....	362/106
5,894,604 A	4/1999	Crabb et al.					

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6






FIG. 7