



US00D582634S

(12) **United States Design Patent**  
**Lagassey**

(10) **Patent No.:** **US D582,634 S**  
(45) **Date of Patent:** **\*\* Dec. 16, 2008**

(54) **CAP WITH A PLURALITY OF ILLUMINATING ELEMENTS**

(76) **Inventor:** **Paul J. Lagassey**, 611 Date Palm Rd., Vero Beach, FL (US) 32963

(\*\*) **Term:** **14 Years**

(21) **Appl. No.:** **29/299,588**

(22) **Filed:** **Dec. 28, 2007**

(51) **LOC (8) Cl.** ..... **02-03**

(52) **U.S. Cl.** ..... **D2/866**

(58) **Field of Classification Search** ..... D2/865,  
D2/866, 872, 873, 876, 879, 882, 871, 875,  
D2/870, 878, 880, 881, 884, 886, 891, 892,  
D2/893, 894, 895; D26/37, 38, 39; 2/10,  
2/12, 425, 171.4, 171.5, 174.183, 184, 181,  
2/209.11, 209.12, 209.13, 209.14, 175.1,  
2/175.2, 175.3, 175.4, 175.5, 195.1, 195.2,  
2/195.3, 195.6, 200.1, 200.2; 362/106, 107,  
362/570

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

1,109,415 A	9/1914	Harris
1,914,429 A	6/1933	Houlihan et al.
2,234,995 A	3/1941	Waechter
D127,785 S	4/1941	Brodton
2,539,104 A	1/1951	Rodel

(Continued)

**FOREIGN PATENT DOCUMENTS**

EM	000076906-0001	*	3/2004
GB	2094402	*	10/2000

*Primary Examiner*—Elizabeth A. Albert  
*Assistant Examiner*—Karen E Eldridge Powers  
(74) *Attorney, Agent, or Firm*—Milde & Hoffberg LLP

(57) **CLAIM**

The ornamental design for cap with a plurality of illuminating elements, as shown and described.

**DESCRIPTION**

FIG. 1 is a right-top perspective view of a cap having an illumination module with a plurality of illuminating elements;

FIG. 2 is a front view of a cap having an illumination module with a plurality of illuminating elements;

FIG. 3 is a left-top perspective view of a cap having an illumination module with a plurality of illuminating elements;

FIG. 4 is a top view of a cap having an illumination module with a plurality of illuminating elements;

FIG. 5 is a bottom view of a cap having an illumination module with a plurality of illuminating elements;

FIG. 6 is a rear view of a cap having an illumination module with a plurality of illuminating elements;

FIG. 7 is front perspective view of a cap having an illumination module with a plurality of illuminating elements;

FIG. 8 is a right perspective view of an illumination module; FIG. 9 is a left side view, of which the right side view is a mirror image of an illumination module;

FIG. 10 is a rear view of an illumination module;



FIG. 11 is a front view of an illumination module;

FIG. 12 is a top view of an illumination module; and,

FIG. 13 is a bottom view of an illumination module.

The broken lines that occur on either side of the gore seams, on the edges of the size adjustment opening and strap, the headband and the bias tape, as well as the six rows of broken lines that run along the edge of the visor, represent stitching and are part of the claimed design. The broken lines drawn with a shorter, finer segment in FIGS. 5 and 6 illustrate environmental matter and form no part of the claimed design.

**1 Claim, 7 Drawing Sheets**








FIG. 1






FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6






FIG. 7