



US00D582796S

(12) **United States Design Patent**
Stekelenburg

(10) **Patent No.:** **US D582,796 S**

(45) **Date of Patent:** **** Dec. 16, 2008**

(54) **TIMER**

(76) **Inventor:** **Albert Stekelenburg**, 9th Fl., 102
Kuang-Fu S. Rd., Taipei (TW)

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/319,120**

(22) **Filed:** **Jun. 4, 2008**

(51) **LOC (8) Cl.** **10-03**

(52) **U.S. Cl.** **D10/40**

(58) **Field of Classification Search** D10/40;
368/107-123; D13/138.1, 137.1, 137.3,
D13/139.8, 139.6, 162, 162.1; 307/141,
307/141.4; 200/33 R, 38 R, 38 D, 38 A,
200/38 F

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D163,133	S	*	5/1951	Ornas	D10/40
D210,305	S	*	2/1968	Kahn	D10/40
D216,017	S	*	11/1969	Podall	D10/40
3,588,391	A	*	6/1971	Banathy	200/6 BB
3,728,500	A	*	4/1973	Ingram	200/38 FB
3,925,629	A	*	12/1975	Albinger, Jr.	200/38 R
D241,524	S	*	9/1976	Haggstrom	D10/40
D246,159	S	*	10/1977	Podall	D10/40
4,297,546	A	*	10/1981	Koch	200/38 R
4,311,886	A	*	1/1982	Rulseh	200/38 R
D264,943	S	*	6/1982	Hammond	D10/1
D265,553	S	*	7/1982	Joss et al.	D10/40
D270,623	S	*	9/1983	Henkels	D10/2
D275,082	S	*	8/1984	Goodin et al.	D10/40
5,715,214	A	*	2/1998	Svarnias	368/10

D405,376	S	*	2/1999	Stekelenburg	D10/40
D449,233	S	*	10/2001	Stekelenburg	D10/40
6,356,425	B1	*	3/2002	Jung	361/93.8
D458,547	S	*	6/2002	Stekelenburg	D10/40
6,519,208	B2	*	2/2003	DeVries	368/10
6,625,089	B2	*	9/2003	Stekelenburg	368/107
D525,540	S	*	7/2006	Stekelenburg	D10/40
D534,086	S	*	12/2006	Stekelenburg	D10/40
D534,439	S	*	1/2007	Stekelenburg	D10/40
D534,870	S	*	1/2007	Metschen et al.	D13/162
D559,708	S	*	1/2008	Michael et al.	D10/40
D565,434	S	*	4/2008	Stekelenburg	D10/40
D567,119	S	*	4/2008	Ni et al.	D10/40
D569,743	S	*	5/2008	Lidong et al.	D10/40
D571,308	S	*	6/2008	Gastelum et al.	D13/168

* cited by examiner

Primary Examiner—Lucy Lieberman

(57) **CLAIM**

The ornamental design for a timer, as shown and described.

DESCRIPTION

FIG. 1 is a top view of a timer showing my new design;

FIG. 2 is a front view thereof;

FIG. 3 is a right side elevational view thereof;



FIG. 4 is a bottom view thereof;

FIG. 5 is a rear view thereof; and,

FIG. 6 is a left side view thereof.

The rectangular display in the middle of the front of the timer in FIG. 2 is flat and flush with the adjacent portions of the timer housing.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6