



US00D582809S

(12) **United States Design Patent**
Apple

(10) **Patent No.:** **US D582,809 S**

(45) **Date of Patent:** **** Dec. 16, 2008**

(54) **LARGE-SURFACE MEASURING DEVICE WITH ADJUSTABLE POSITION MARKERS**

D339,305 S * 9/1993 Klein D10/71
5,402,585 A * 4/1995 Lund 33/484

(75) Inventor: **Judy Apple**, Ypsilanti, MI (US)

* cited by examiner

(73) Assignee: **Colonial Needle Company**, White Plains, NY (US)

Primary Examiner—Antoine D Davis
(74) *Attorney, Agent, or Firm*—Gifford, Krass, Sprinkle, Anderson & Citkowski, PC

(**) Term: **14 Years**

(21) Appl. No.: **29/299,019**

(57) **CLAIM**

(22) Filed: **Dec. 18, 2007**

The ornamental design for a large-surface measuring device with adjustable position markers, as shown and described.

(51) **LOC (8) Cl.** **10-04**

(52) **U.S. Cl.** **D10/71**

(58) **Field of Classification Search** D10/71;
33/1 V, 2 R, 3 R, 4-6, 3 A, 3 B, 3 C, 7, 8,
33/9 R, 10, 9 A, 11-16, 17 R, 17 A, 2 H,
33/2 A, 484-488

See application file for complete search history.

DESCRIPTION

FIG. 1 is a fragmented perspective elevational view of a large-surface measuring device with adjustable position markers showing my new design;

FIG. 2 is a fragmented front elevational view of a large-surface measuring device with adjustable position markers; and,


FIG. 3 is a fragmented rear elevational view thereof.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,083,380 A * 1/1992 Robertson 33/485

1 Claim, 2 Drawing Sheets






FIG - 1




FIG - 2




FIG - 3